

## INDEX

This index covers all technical papers and committee reports (exclusive of standards) published by the Society during 1964. References to articles in the monthly publication *Materials Research & Standards* are designated in this index as *MR&S* with month of issue and page number given. A more comprehensive index to *Materials Research & Standards* for 1964 appears in the December issue, page 694. References to papers published as Special Technical Publications are designated in this index by the *STP* number only.

### A

- Abden-Nur, E. A. (discussion), *STP* 362.
- Absorption spectroscopy. Report of Committee E-13, 472.
- Acids. Report of Committee E-15, 474.
- Acoustic detection, crack initiation in sharply notched specimens (Jones and Brown), *MR&S*, March, 120.
- Acoustical materials. Report of Committee C-20, 282.
- Activated carbon. Report of Committee D-28, 421.
- Adhesion test  
determination of intermolecular forces by surface chemical techniques (Fowkes), *STP* 360.  
fiber-elastomer adhesion variables (Patterson), *STP* 360.  
"Polyken" probe tack tester (Hammond), *STP* 360.
- Adhesive joints  
application of fracture mechanics to (Ripling, Mostovoy and Patrick), *STP* 360.  
bonded, ultrasonic testing (Gonzalez and Cagle), *STP* 360.  
fracture toughness (Ripling, Mostovoy, and Patrick), *MR&S*, March, 129.
- Adhesives  
adhesion and cleavage stress with solids (Dahlquist), *STP* 360.  
automotive uses (Twiss), *STP* 360.  
past, present and future (Blomquist), *STP* 360.  
"Polyken" tack tester (Hammond), *STP* 360.  
phenoxy, properties and processing (Bugel, Norwalk, and Snedeker), *STP* 360.  
Report of Committee D-13, 364.  
strength of adhesives, when stressed to failure in milliseconds (Wegman and Tanner), *STP* 360.  
vacuum irradiation (Lucas), *STP* 363.
- Adler, I.: Electron probe analysis, of minerals, *STP* 349; (discussion), *STP* 349.
- Aerial photographic interpretation bibliography (Johnson and Gnaedinger), *STP* 351.  
subsurface conditions (Erb), *STP* 351.
- Aerospace materials  
adhesive joints, nondestructive testing (Gonzalez and Cagle), *STP* 360.  
forum: nuclear radiation, effects on, *STP* 363.  
space radiation effects on components and systems (Miller and van Lint), *STP* 363.  
vacuum irradiation (Lucas), *STP* 363.
- Aggregates  
alkali-carbonate reaction in concrete (Luke), 887.  
for concrete, water absorption (Landgren), 846.  
gradation, bituminous mixtures, relation of density and air permeability (Warner and Moavenzadeh), 981.  
particle shape, surface texture and water requirement (Malhotra), *MR&S*, December, 656.  
Report of Committee C-9, 253.  
water-vapor absorption-desorption (Landgren), 830.
- Airborne contamination  
from combustion (Tebbens, Thomas, and Mukai), *STP* 352.  
photochemical-atmosphere test facility (Bonamassa), *STP* 352.  
Report of Committee D-22, 406.  
size and mass distribution (Goetz and Kallai), *STP* 352.
- Air entrainment, fly-ash concrete, effect on durability (Larson), 866.
- Air permeability, bituminous materials, relation to compaction (Warner and Moavenzadeh), 981.
- Alcohols. Report of Committee E-15, 474.

- Alger, J. V. (discussion), *STP 363*.
- Alkali-carbonate reaction, in concrete from Chickamauga Dam powerhouse (Luke), 887.
- Alkalies. Report of Committee E-15, 474.
- Alkylation of asphaltenes (Illman and Deahl), *STP 347*.
- Alcoer, A. E., see Mueller, P. K., Helwig, H. L., Alcoer, A. E., Gong, W. F., and Jones, E. E.
- Alper, R. H.: Cryogenically stretch-formed type 301 stainless steel for cryogenic service, *MR&S*, October, 525.
- Aluminum and aluminum alloys
- capacitance and microstructure of etched foils (discussion), *MR&S*, June, 301.
  - cryogenic applications (Campbell), *MR&S*, October, 540.
  - crack toughness from Kahn-type tear tests (Kaufman and Knoll), *MR&S*, April, 151.
  - properties of shafting and valve stems (Macadam), 765.
  - Report of Committee B-6, 205.
  - shear strength, effect of test method and specimen orientation (Kaufman and Davies), 999.
  - tension test specimen and holder (Bablon and Traenkner), 1119.
  - variation of fatigue properties with direction of working (Lyst), 581.
  - shear test jig (Inelli), *MR&S*, May, 207.
- Ammonium perchlorate, radiation-induced changes in reactivity (Freeman and Anderson), *STP 359*.
- Anetil, A. A., see Kula, E. B. and Anetil, A. A.
- Anderson, D. A., see Freeman, E. S., and Anderson, D. A.
- Angleton, H. D., see Senft, J. F., Suddarth, S. K., and Angleton, H. D.
- Annealing radiation damage in space (Binder), *STP 363*.
- Antennas, parabolic, effect of paint finish on solar heating (Pryjma), 1011.
- Antifreeze. Report of Committee D-15, 369.
- Appearance
- plastics (Clark and Ingle), *MR&S*, February, 76.
  - Report of Committee E-12, 470.
- Arni, H. T. (discussion), *MR&S*, June, 296.
- Aromatic hydrocarbons. Report of Committee D-16, 372.
- Asbestos. Report of Committee D-30, 424.
- Asbestos-cement products. Report of Committee C-17, 277.
- Asphalt
- composition, related to manufacturing and weathering (Corbett and Swarbrick), *STP 347*.
  - effect of heat on oxidized asphalt (Wronka), *STP 347*.
  - oxidation and intensity of carbon arc (Wright, Campbell, and Fridinger), *STP 347*.
  - relation of air permeability and density to asphalt content of bituminous mixtures (Warner and Moavenzadeh), 981.
  - softening point by a ring-and-ball test (ASTM Committee D-8) *MR&S*, August, 417.
  - weatherability, from asphaltene dispersability data (Jones), *STP 347*.
  - weathering, as evidenced by internal structures (Olenski), *STP 347*.
- Asphalt concrete
- air permeability of (discussion), *MR&S*, February, 74.
  - uniformity of plant production (Graham, Burnett, and Thomas), *STP 362*.
- Asphaltenes
- alkylation of (Illman and Deahl), *STP 347*.
  - asphalt weatherability from dispersability data (Jones), *STP 347*.
- Asphalt shingles, blistering (Knight, Platt, and Smith), *STP 347*.
- ASTM
- Annual Meeting, Sixty-seventh, Summary of, 1.
  - Board of Directors, Annual Report, highlights, 43; technical activities, 44; division of materials science, 48; national and other meetings, 49; publications, 51; district activities, 53; membership, 55; honors, grants and lectures, 58; fellowships and grants-in-aid, 59; finances, 60; cooperative activities, 65; report of auditors (Appendix I), 67; report on standards (Appendix II), 77; report on research (Appendix III), 85; report on papers and publications, (Appendix IV), 87; report on district activities (Appendix V), 92; Report on simulated service testing (Appendix VI), 93; report on intersociety relations (Appendix VII) 95.
  - ASTM committee D-8: A ring-and-ball softening point test for asphalts, pitches, and tars, *MR&S*, August, 417.
  - ASTM Committee E-1: The effect of surface preparation and roughness on Rockwell hardness readings, *MR&S*, December, 659.
  - ASTM special committee on fracture testing of high-strength materials: Progress in measuring fracture toughness and using fracture mechanics, *MR&S*, March, 107.
  - Atmospheric analysis. Report of Committee D-22, 406.
  - Auer, Andre, see Huang, E. Y., Auer, A., and Triffo, R. P.
  - Automotive industry, adhesives and sealants for (Twiss), *STP 360*.
- B**
- Bablon, C. F., and Traenkner, H. A.: A new round tension-test specimen for accuracy and economy, 1119.
- Babyak, W. J., Bourgeois, W. F., and Salvaggio, G. J.: Effect of hydride morphology on the tensile properties of Zircaloy-2, *STP 368*.
- Baechler, R. H.: Present status of results-type specifications for treated wood, *STP 353*.
- Bahri, G. R., and Rader, L. F.: Effects of viscosity control of tar on Marshall stability test values of tar concrete, 968.
- Bailey, N. A. (discussion), *STP 363*.
- Bair, F. H. (discussion), *STP 360*.
- Bakish, R. (discussion), *MR&S*, June, 301.
- Ballard, G. E. H.: The plastic limit as a binary

- packing phenomenon, *MR&S*, July, 366; (discussion), *MR&S*, December, 646.
- Barclay, W. F., Green, D. S., and Jackson, J. K.: The effect of nickel, manganese, and copper on strength and ductility of semi-austenitic, 17 per cent chromium stainless steels, 680.
- Barnard, P. D. (discussion), 826.
- Basic oxygen steels, compared with open hearth steels, *STP* 364.
- Baum, H., Callan, T. P., Jr., and Sobatzki, R. J.: Automatic determination of cloud points of nonionic surfactants, *MR&S*, January, 26.
- Baushinger effect, structural steel, behavior under slow and rapid reversal of loading (Wright, Hall, and Hamada) 612.
- Beams, wood, plastic bending (Norris), *STP* 363.
- Bearings  
bronze sinterings, strength constant specifications (Biehl), *MR&S*, August, 422.  
freight car journal lubricators (Pinney), *STP* 354.
- Bending, evaluation of stress relaxation in (Fox), *MR&S*, September, 480.
- Benioff, B.: Introduction, *STP* 353.
- Berbower, R. F., and Parent, C. F.: Effects of ground surface subsidence in the Long Beach Harbor District, 903.
- Bertero, Vitelmo, and Polivka, Milos: Effect of degree of restraint on mechanical behavior of expansive concrete, 797.
- Berns, H. D., *see* Smith, G. M., and Berns, H. D.
- Berry, W. E.: Effect of fluoride ions on the aqueous corrosion of zirconium alloys, *STP* 368.
- Beryllium content, influence on the mechanical properties of copper-beryllium alloy strip (Gohn, Herbert, and Kuhn), *STP* 367.
- Biehl, H. R.: Strength constant specification for bronze sinterings, *MR&S*, August, 422.
- Binder, D.: Annealing of radiation damage in space, *STP* 363.
- Binding materials, particle board (Kamrath), *STP* 360.
- Bingham, C. D. (discussion), *STP* 363.
- Biological specimens, electron probe X-ray microanalysis of (Tousimis), *STP* 349.
- Birks, L. S.: Comparison of X-ray fluorescence and electron probe methods: future trends, *STP* 349.
- Bituminous mixtures permeability-compaction characteristics of (Warner and Moavenzadeh) 981.
- Blaine air permeability method, specific surface of fly ash (Chopra and Narain), *MR&S*, September, 487.
- Blatherwick, A. Z., and Mowbray, D. F.: Stress-strain relationships in low- and intermediate-cycle fatigue, 561.
- Blistering, asphalt shingles (Knight, Platt, and Smith), *STP* 347.
- Blomquist, R. F.: Adhesives—past, present and future, *STP* 360.
- Bluhm, J. I. (discussion), 665.
- Bogle, R. G. (discussion), *STP* 354.
- Bolger, R. J., and Rasmussen, C. A.: "Stress-omatic" stress rating system, *STP* 353.
- Bonamassa, F.: Design considerations of a photochemical-atmosphere environmental test facility, *STP* 352.
- Boras, G., *see* Klier, E. P., Boras, G. and Lin, J. M.
- Bore-hole exploration  
bibliography (Johnson and Gnaedinger), *STP* 351.  
"NX" camera for (Trantina and Cluff), *STP* 351.
- Botty, M. C.: Electron resinography of a polyphase polymeric system, *STP* 348.
- Boundary cleavage stress, solids and a pressure-sensitive adhesive (Dahlquist), *STP* 360.
- Bourgeois, W. F., *see* Babyak, W. J., Bourgeois, W. F., and Salvaggio, G. J.
- Bousso, E., and Ishai, O.: Technique for measuring tension in short prestressed wires, *MR&S*, December, 647.
- Brass, properties of shafting and valve stems (Macadam), 765.
- Brassell, T. E.: Quality control and inspection of laminated timber construction, *STP* 353; (discussion), *STP* 353.
- Bricks, sand-fly-ash (Mateos), *MR&S*, August, 427.
- Bridges, railroad timber (Ruble and Drew), *STP* 353 and *STP* 354.
- Brink, N. O.: Sandwich cylinder construction for underwater pressure vessels, *MR&S*, April, 162.
- Brisbane, J. J. (discussion), *MR&S*, January, 24.
- Brissette, L. A., *see* Spriggs, R. M., Brissette, L. A., and Vasilos, T.
- Broadwell, R. G., and Wood, R. A.:  
Crystal structure and cryogenic properties, *MR&S*, October, 523.  
Titanium alloys for cryogenic service, *MR&S*, October, 549.
- Brodrick, R. F., and Fritch, D. J.: Fatigue, tension, and stress-rupture tests of tungsten at 6000 F with an electron-beam furnace, 505.
- Bronze sinterings, strength constant (Biehl), *MR&S*, August, 422.
- Brown, G. W. (discussion), *MR&S*, August, 411.
- Brown, M. E., *see* Prout, E. G., and Brown, M. E.
- Brown, W. F., Jr., *see* Jones, M. H., and Brown, W. F., Jr.
- Bugel, T. E., Norwalk, S., and Snedeker, R. H.: Phenoxy resin—a new thermoplastic adhesive, *STP* 360.
- Buildings  
effects from sonic boom (Newberry), *MR&S*, November, 601.  
Ottawa air terminal, damaged by sonic boom (Ramsay), *MR&S*, November, 612.  
sonic boom and other shock wave effects

## Buildings (continued)

- (Mayes and Edge), *MR&S*, November, 588.
- Building construction. Report of Committee E-6, 458.
- Building stones. Report of Committee C-18, 279.
- Bull, W. B.:  
A consolidation test for undisturbed sands, *MR&S*, July, 347.  
Particle-size analysis of sand containing friable fragments, *MR&S*, August, 407.
- Burgess, J. B. (discussion), *MR&S*, April, 156.
- Burk, D. L., see Hammond, C. M., and Burk, D. L.
- Burn, K. N. (discussion), *STP* 351.
- Burnett, W. C., see Graham, M. D., Burnett, W. C., and Thomas, J. J.
- Burnham, W. L.: Reverse circulation drilling, *STP* 351.
- Burns, W. A., and Maffei, H. P.: Neutron irradiation and cold work effects on Zircaloy-2 corrosion and hydrogen pickup, *STP* 368.

## C

- Cady, P. D. (discussion), *MR&S*, February, 74.
- Cagle, C. V., see Gonzalez, H. M., and Cagle, C. V.
- Calcium sulfate, heat-of-solution calorimeter (McAdie), *MR&S*, August, 413.
- Calibration, nuclear meters for measuring moisture and density (Troxler), *STP* 351.
- Callan, T. P., Jr., see Baum, H., Callan, T. P., Jr., and Sobatzki, R. J.
- Calorimeter, heat-of-solution for inorganic building materials (McAdie), *MR&S*, August, 413.
- Campbell, J. E.: Aluminum alloys for cryogenic service, *MR&S*, October, 540.
- Campbell, P. G., see Wright, J. R., Campbell, P. G., and Fridinger, T. L.
- Camera reconnaissance  
subsurface, bibliography (Johnson and Gnaedinger), *STP* 351.  
"NX" camera for bore hole exploration (Trantina and Cluff), *STP* 351.
- Campbell, W. J.: Fluorescent X-ray spectrographic analysis of trace elements including thin films, *STP* 349.
- Capacitance of etched aluminum foils (discussion), *MR&S*, June, 301.
- Carbon  
Report of Committee C-5, 245.  
Report of Committee D-28, 421.
- Carbon are intensity, correlation with asphalt oxidation (Wright, Campbell, and Fridinger), *STP* 347.
- Carbon black  
recovery from polyethylene compounds, pyrolysis conditions (Schreiber), *MR&S*, June, 288.  
Report of Committee D-24, 410.
- Carey, R. H. (discussion), *STP* 360.
- Carpenter, C. A., and Ogilo, E. R.: Establishing specification limits by statistical data analysis, *STP* 362.
- Carr, F. L., see DeSisto, T. S., and Carr, F. L.

- Casein. Report of Committee D-25, 412.
- Cast iron. Report of Committee A-3, 110.
- Cazes, J. (discussion), *STP* 348.
- Cellulose. Report of Committee D-23, 408.
- Cement  
paste, compression creep tests (Mullen and Dolch), 1146.  
portland cement concrete, delayed addition of set-retarding admixtures to (Dodson and Farkas), 816.  
raw materials analyzed by X-ray spectroscopy (Robinson and Gertiser), *MR&S*, May, 228.  
Report of Committee C-1, 236.
- Cemented carbides. Report of Committee B-9, 224.
- Ceramics  
decay products of radium in (discussion), *MR&S*, May, 220.  
diametral-compression test (discussion), *MR&S*, January, 24.  
Report of Committee C-8, 250.  
Report of Committee C-21, 283.  
Report of Committee C-25, 289.  
Report of Committee D-9, 342.  
tensile strengths by the diametral-compression test (Spriggs, Brissette, and Vasilos), *MR&S*, May, 218.
- Chemical analysis  
Report of Committee E-3, 446.  
Report of Committee E-15, 474.  
Report of Committee E-16, 480.
- Chen, C. S. H., see Grabar, D. G., and Chen, C. S. H.
- Cheng, D. H. (discussion), *MR&S*, August, 411.
- Chmiel, C. T. (discussions), *STP* 360.
- Chopra, S. K., and Narain, S. N.: Measurement of the specific surface of fly ash, *MR&S*, September, 487.
- Chromatography. Report of Committee E-19, 485.
- Circuit breakers, bibliography and abstracts, *STP* 56-R.
- Clamping pressure test, zipper-type glazing gaskets (Mazzoni, McKinley, and Malobicky), *MR&S*, September, 474.
- Clark, J. B. (discussions), *STP* 349.
- Clark, K. R.: Mechanical methods of undisturbed soil sampling, *STP* 351; (discussion), *STP* 351.
- Clark, L. D. (discussion), *MR&S*, November, 600.
- Clark, R. J., and Ingle, G. W.: Micromorphology and appearance of plastics, *MR&S*, February, 76.
- Claver, G. C.: Microscopical studies of heterogeneous polymeric systems, *STP* 348.
- Clay  
miniature specimen in compression test (Krizek and Kondner), 944.  
time effects on vane shear strength and sensitivity (Sridharan and Madhav), 958.
- Clay pipe. Report of Committee C-4, 244.
- Cleaning, automated system for diesel locomotives (Stengele and Lenzin), *STP* 354.

- Cloud points, surfactants, nonionic, automatic determination (Baum, Callan, and Sobatzki), *MR&S*, January, 26.
- Cluff, L. S., see Trantina, J. A., and Cluff, L. S. Coal. Report of Committee D-5, 327.
- Coden for periodical titles (supplement), *STP* 329-S 1.
- Codes, computer, space radiation effects (Dye), *STP* 363.
- Coke. Report of Committee D-5, 327.
- Colbeck, H. G. M., see Northcott, P. L., Hancock, W. V., and Colbeck, H. G. M.
- Collins, J. A. and Marco, S. M.: The effect of stress direction during fretting on subsequent fatigue life, 547.
- Collins, J. F., see Wukusick, C. S., and Collins, J. F.
- Color centers, detection and determination of defects (Levy), *STP* 359.
- Colp, J. L., see Karnowsky, M. M., and Colp, J. L.
- Combustion products air pollutants (Tebbens, Thomas and Mukai), *STP* 352.
- Compaction, bituminous materials, relation to air permeability (Warner and Moavenzadeh), 981.
- Composition  
asphalt roofing, related to manufacturing and weathering (Corbett and Swarbrick), *STP* 347.  
effect on the dynamic elastic moduli of W-Fe-Ni composite materials (Krock), 712.  
super strength alloys, *STP* 170-C.  
Zircalloys, effect on oxide film formation and hydrogen absorption during corrosion (Kass), *STP* 368.
- Compressive strength  
brittle materials under uniform uniaxial stress (Newman and Lachance), 1044.  
cohesive soils, miniature specimen for (Krizek and Kondner), 944.  
cohesive soils, vibratory uniaxial device for testing (Krizek and Kondner), 934.  
concrete, predicted from properties of (discussion), *MR&S*, June, 296.  
concrete, sampling and job curing procedures (discussion), *MR&S*, July, 355.  
portland cement paste (Mullen and Dolch), 1146.  
sand-fly-ash bricks (Mateos), *MR&S*, August, 427.  
shafting and valve stem materials (Macadam), 765.  
soft clay soils, correlation with field vane test (Hall), *STP* 351.  
soil-aggregate mixtures, effect of size of aggregates (Huang, Auer, and Triffo), 922.  
soil specimens, eliminating inaccuracies in differential molding time by statistical allocation (Pinto and David), 1068.
- Computer codes, space radiation effects (Dye), *STP* 363.
- Concrete  
aggregates, water-vapor adsorption desorption (Landgren), 830.  
air entrainment and durability of fly-ash concrete (Larson), 866.  
alkali-carbonate reaction (Luke), 887.  
aluminous cement, high-temperature behavior (discussion), *MR&S*, August, 412.  
compressive strength predicted from properties (discussion), *MR&S*, June, 296.  
compressive strength, sampling and job curing procedures (discussion), *MR&S*, July, 355.  
diametral compression test (discussion), *MR&S*, January, 24.  
effect of degree of restraint on mechanical properties of expansive concrete (Bertero and Polivka), 797.  
portland cement concrete, delayed addition of set-retarding admixtures to (Dodson and Farkas), 816.  
quality of freshly mixed (discussion), *MR&S*, April, 156.  
Report of Committee C-9, 293.  
uniaxial compression testing (Newman and Lachance), 1044.  
water absorption of lightweight aggregates (Landgren), 846.
- Concrete pipe. Report of Committee C-13, 265.
- Consistency, craftsman's, cement-lime mortars (Shalon and Soroka), *MR&S*, September, 465.
- Consolidation test, undisturbed sands (Bull), *MR&S*, July, 347.
- Contact area, end-wood surfaces (Maxey), *MR&S*, June, 279.
- Contacts, electrical, bibliography and abstracts, *STP* 56-R.
- Copper and copper alloys  
cryogenic irradiation (Watson), *STP* 363.  
effect on strength and ductility of semi-austenitic, 17 per cent chromium stainless steel (Barclay, Green and Jackson), 680.  
erosion of turbine blade materials (DeCorso), 782.  
Report of Committee B-1, 183.  
Report of Committee B-2, 188.  
stress-strain relationships in fatigue (Blatherwick and Mowbray), 561.  
Report of Committee B-5, 199.
- Copper-beryllium alloys  
strip, influence of composition, strain hardening, and precipitation heat treatment on mechanical properties and stress corrosion resistance of (Gohn, Herbert, and Kuhn), *STP* 367.  
thermoelasticity coefficient independent of temperature (Holmes), 991.
- Corbett, L. W. and Swarbrick, R. E.: Composition as related to manufacturing and weathering of asphalt roofing, *STP* 347.
- Corcoran, W. H., see Frossard, M., Rinker, R. G., and Corcoran, W. H.
- Corrosion  
rate limits use of Zircalloys in superheated steam (Klepfer and Douglass), *STP* 368.  
Report of Advisory Committee on Corrosion, 233.  
Report of Committee A-5, 113.

Corrosion (*continued*)

- Report of Committee A-10, 180.  
 Report of Committee B-3, 193.  
 Report of Committee G-2, 502.  
 steam turbine blade materials (DeCorso), 782.  
 Zircalloys, effect of composition and heat treatment on oxide film formation and hydrogen absorption (Kass), *STP 368*.  
 Zircaloy 2, in aqueous homogeneous reactor solutions (Jenks), *STP 368*.  
 zirconium alloys, effect of fluoride ions (Berry), *STP 368*.  
 Cosmic ray induced, nuclear interactions in meteorites, (Lipschutz), *STP 363*.  
 Coss, J. R., *see* Gardner, L. B., and Coss, J. R.  
 Cotton. Report of Committee D-13, 357.  
 Coulehan, R. E.: Stress crazing failure—a mechanism of surface formation through wetting, *STP 348*.  
 Countryman, D.: Plywood as an engineering material, *STP 353*.  
 Crack initiation, acoustic detection in sharply notched specimens (Jones and Brown), *MR&S*, March, 120.  
 Crack propagation  
   adhesive joints, application of fracture mechanics to (Ripling, Mostovoy, and Patrick), *STP 360*.  
   fatigue crack propagation in sheet specimens (Grover), *MR&S*, August, 430.  
   mechanisms investigated by fracture (ASTM Special Committee on Fracture Testing of High-Strength Materials), March, 107.  
   modifying factors in high-strength sheet metal (Klier, Boras and Lin), 649.  
   sheet materials, influence of test conditions (Steigerwald and Hanna), 1128.  
 Crack toughness, aluminum alloy sheet, from Kahn-type tear tests (Kaufman and Knoll), *MR&S*, April, 151.  
 Crawford, C. B. (discussion), *STP 351*.  
 Crawford, R. G., *see* Steven, G. and Crawford, R. G.  
 Creodon, J. F. (discussion), *STP 360*.  
 Creep  
   estimation of stress relaxation (discussion) *MR&S*, September, 490.  
   estimation of stress relaxation (Hansen), *MR&S*, January, 12.  
   portland cement paste (Mullen and Dolch), 1146.  
   rupture behavior of Hastelloy-X in vacuum (Donachie and Shephard), *MR&S*, September, 495.  
 Crossman, G. (discussions), *STP 348*.  
 Cryogenic irradiation  
   aerospace materials, forum, *STP 363*.  
   metals (Watson), *STP 363*.  
 Cryogenics  
   aluminum and aluminum alloys for cryogenic service (Campbell), *MR&S*, October, 540.  
   low-temperature fatigue testing machine Wilkov and Murr), *MR&S*, June, 285.  
   properties of metals, effect of crystal structure (Broadwell and Wood), *MR&S*, October, 523.

- stainless steel, type 301, cryogenically stretch-formed for cryogenic service (Alper), *MR&S*, October, 525.  
 titanium alloys for cryogenic service (Broadwell and Wood), *MR&S*, October, 549.  
 welded 3½ and 9 per cent nickel-iron alloy for cryogenic service (Keys and Schwartzburg), *MR&S*, May, 222.

## Crystal structure

- metals, effects on cryogenic properties (Broadwell and Wood), *MR&S*, October, 523.  
 body-centered cubic, low-energy radiation damage (Erginsoy), *STP 359*.  
 Cunningham, J. (discussions), *STP 359*.  
 Curing environment, effect on homogeneity of diisocyanate-linked elastomers (Havlik), *MR&S*, July, 358.  
 Curing procedures, compressive strength of concrete (discussion), *MR&S*, July, 355.  
 Cutler, R. C. (discussion), *STP 348*.

## D

- Dahlquist, C.: Adhesion and cleavage stress in solids, *STP 360*; (discussions), *STP 360*.  
 Damping, material, measured by a frequency-phase method (Smith and Berns), *MR&S*, May, 225.  
 Dams, embankment, sampling and field testing materials for (O'Neill and Nutting), *STP 351*.  
 David, H. T., *see* Pinto, C. and David, H. T.  
 Davies, R. E., *see* Kaufman, J. G., and Davies, R. E.  
 Deahl, T. J., *see* Illman, J. C., and Deahl, T. J.  
 Decomposition, radiation induced, of inorganic solids (Johnson), *STP 359*.  
 DeCorso, S. M.: Erosion tests of steam turbine blade materials, 782.  
 Defects, color centers for detection and measurement (Levy), *STP 359*.  
 Definitions. Report of Committee E-8, 464.  
 Deflection temperatures, epoxy resins (DeLollis) *STP 360*.  
 DeLollis, N. J.: Flexural modulus and deflection temperatures of various epoxy formulations, *STP 360*; (discussion), *STP 360*.  
 Density  
   bituminous materials, relation to air permeability (Warner and Moavenzadeh), 981.  
   calibration of nuclear probes for measurement (Troxler), *STP 351*.  
   polyolefins, measured with an improved gradient column (Payne and Stephenson), *MR&S*, January, 3.  
 DeSisto, T. S., and Carr, F. L.: The influence of subzero rolling on the tensile properties of commercially pure titanium, 636.  
 Detergents. Report of Committee D-12, 354.  
 Diametral compression test  
   tensile strengths of dense polycrystalline ceramics (Spriggs, Brissette, and Vasilos), *MR&S*, May, 218.  
   concrete (discussion), *MR&S*, September, 481. (discussion), *MR&S*, January, 24.  
 Diaphragm materials, metallic thermoelastic coefficient measurement (Holmes), 991.  
 Die castings. Report of Committee B-6, 205.



- Die cutting, cause of poor edges on plastic film tension specimens (Patterson), *MR&S*, April, 159.
- Dielectric materials, vacuum irradiation effects (Lucas), *STP* 363.
- Diesel locomotives  
automated system for cleaning (Stengele and Lenzin), *STP* 354.  
research and control facility (Thomas), *STP* 354.
- Diesel lubricating oils, oxidation stability (Wright), *STP* 354.
- Dietz, A. G. H. (discussion), *STP* 360.
- Diisocyanate-linked elastomers, curing environment and homogeneity (Havlik), *MR&S*, July, 358.
- Diodes  
proton accelerator bombardment (Brown), *STP* 363.  
correlation of proton, neutron, electron, and photon radiation damage (Keister), *STP* 363.
- Dip-curing time, fiber-elastomer adhesion (Patterson), *STP* 360.
- Direction of working, aluminum alloys, effect on fatigue properties (Lyst), 581.
- Dispersability, asphaltenes, prediction of coating grade asphalt weatherability (Jones), *STP* 347.
- Dispersion staining, organic polymer identification (McCrone), *STP* 348.
- Displacement radiation effects, forum, *STP* 363.
- Divecha, A. (discussions), *STP* 363.
- Dodson, V. H., and Farkas, E.: Delayed addition of set retarding admixtures to Portland cement concrete, 816.
- Dolch, W. L., see Mullen, W. G., and Dolch, W. L.
- Donachie, M. J., Jr., and Shepherd, R. G.: Creep-rupture behavior of Hastelloy-X in vacuum, *MR&S*, September, 495.
- Douglass, D. L., see Klepfer, H. H., and Douglass, D. L.
- Drew, F. P., see Ruble, E. J., and Drew, F. P.
- Drilling, soil exploration  
bibliography (Johnson and Gnaedinger), *STP* 351.  
reverse circulation (Burnham), *STP* 351.
- Ductility  
metals, effect of crystal structure on, at cryogenic temperatures (Broadwell and Wood), *MR&S*, October, 523.  
semiaustenitic, 17 per cent chromium stainless steel, effects of nickel, manganese and copper on (Barclay, Green and Jackson), 680.
- Dunn, E. J., Jr. (discussion), *STP* 348.
- Dunn, T. J., see Kelly, P. P., and Dunn, T. J.
- Dunne, J. A., see Kiley, W. R., and Dunne, J. A.
- Durability, fly-ash cement, air entrainment and (Larson), 866.
- Dye, D. L.: Computer codes for space radiation effects, *STP* 363.
- E**
- Edge, P. M., Jr., see Mayes, W. H., and Edge, P. M., Jr.
- Ehlers, G. F. L., and Powers, W. M.: An automatic vicat-type heat-distortion and softening-range apparatus, *MR&S*, June, 298.
- Elastomers  
diisocyanate-linked, effect of curing environment on homogeneity (Havlik), *MR&S*, July, 358.  
fiber adhesion variables (Patterson), *STP* 360.  
Report of Committee D-11, 351.
- Electrical Conductors. Report of Committee B-1, 183.
- Electrical contacts  
bibliography and abstracts, *STP* 56-R.  
Report of Committee B-4, 196.
- Electrical insulation  
Report of Committee D-9, 342.  
Report of Committee D-27, 416.
- Electrodeposited coatings. Report of Committee B-8, 222.
- Electron-beam furnace, for fatigue, tension and stress-rupture tests of tungsten at 6000 F (Brodick and Fritch), 505.
- Electron microanalysis, X-ray optics in (Ogilvie), *STP* 349.
- Electron microscopy  
polyethylene fibers (Scott), *STP* 348.  
polyphase polymeric systems (Botty), *STP* 348.
- Electron probe analysis  
comparison with X-ray fluorescence methods: future trends (Birks), *STP* 349.  
medical and biological specimens (Tousimis), *STP* 349.  
metallurgical research (Heinrich), *STP* 349.  
minerals (Adler), *STP* 349.  
quantitative, methods (Wittry), *STP* 349.  
Electron probes, electron optical design (Fisher), *STP* 349.
- Electron tube materials. Report of Committee F-1 493.
- Electronic ceramic materials. Report of Committee C-25, 289.
- Elmendorf, A. (discussion), *STP* 353.
- Elongation, copper-beryllium alloy strip (Gohn, Herbert, and Kuhn), *STP* 367.
- Embrittlement, zirconium alloys, limits use in superheated steam (Klepfer and Douglass), *STP* 368.
- Emission spectroscopy  
Report of Committee E-2, 441.  
standard samples, reference samples, and high purity materials for analysis, *STP* 58-E.  
X-ray, production of X-rays in (Zemany), *STP* 349.
- Engine antifreeze. Report of Committee D-15, 369.
- Epoxy resins  
flexural modulus and deflection temperature (DeLollis), *STP* 360.  
strength when stressed to failure in milliseconds (Wegman and Tanner), *STP* 360.
- Erb, D. K.: Reconnaissance exploration of subsurface conditions by aerial photographic interpretation, *STP* 351.
- Erginsoy, C.: Low-energy radiation damage

- Erginsoy, C. (*continued*)  
processes in a body-centered cubic lattice, *STP 359*.
- Ericksen, L. N. (discussion), *STP 353*.
- Exhaust, automobile, concentration of lead and fine particles in (Mueller, Helwig, Alcocer, Gong, and Jones), *STP 352*.
- Expansion, masonry mortars, effect of restraining forces on (Ritchie), *MR&S*, January, 15.
- Extensometers, instrument to measure transverse strain (Lobdell, Shinopulos, and Fillio), *MR&S*, January, 8.
- ### F
- Fabrics, woven, interlaboratory tests for tongue-tearing strength (Randall), *MR&S*, February, 53.
- Failure, stress crazing, polymers, through wetting (Coulehan), *STP 348*.
- Fallout, causes radioactivity in sewage disposal systems (Folsom and Mohanrao), *MR&S*, February, 69.
- Farkas, E., *see* Dodson, V. H. and Farkas, E.
- Fatigue  
aluminum alloys, variation with direction of working (Lyst), 581.  
axial testing of sheet materials down to -423 F (Keys and Schwartzberg), *MR&S*, May, 222.  
crack propagation in sheet specimens (Grover), *MR&S*, August, 430.  
definitions of fatigue-notch factor (Grover), *MR&S*, September, 493.  
effect of residual stresses on fatigue life (Heller, Seki, Freudenthal), 516.  
effect of stress direction during fretting on fatigue life (Collins and Marco), 547.  
influence of cyclic prestressing on fatigue limit (discussion), *MR&S*, August, 411.  
low temperature fatigue testing machine (Wilkov and Murr), *MR&S*, June, 285.  
low-cycle behavior of phenolic nylon (Mehan), 537.  
metals, engineering and design aspects, (discussion), *MR&S*, February, 80.  
Report of Committee E-9, 465.  
specimens, R. R. Moore, prepared from superstrength steels (Tarwater), *MR&S*, June, 289.  
statistical analysis of fatigue data, *STP 91-A*.  
statistical analysis, using the logistic function (Soni and Little), *MR&S*, September, 471.  
steel rope wire (discussion), August, 425.  
strength of copper-beryllium alloy strip (Gohn, Herbert, and Kuhn), *STP 367*.  
strength of steel, effect of cross-sectional shape (Raghavan), *MR&S*, June, 290.  
stress-strain relationships in low- and intermediate-cycle fatigue (Blatherwick and Mowbray), 561.  
tantalum, effect of strain aging (Wang and Marco), 595.  
tungsten at 6000 F (Brodrick and Fritch), 505.
- Feldman, R. F., *see* Ramachandran, V. S., Sereida, P. J., and Feldman, R. F.
- Felton, C. D.: Some applications of ultraviolet microscopy in resinography, *STP 348*; *see also* Moorehead, F. F., and Felton, C. D.
- Ferro-alloys. Report of Committee A-9, 178.
- Ferromagnetic bulk alloys, neutron irradiation, effect on the magnetic properties (Schindler and Williams), *STP 363*.
- ### Fibers
- fiber-elastomer adhesion variables (Patterson), *STP 360*.  
glass, effect of gage length on strength (Metcalfe and Schmitz), 1075.  
inorganic. Report of Committee D-30, 424.  
internal structure, light scattering studies (Rhodes and Stein), *STP 348*.  
microscopical examination of the fiber-forming process (Mogensen), *STP 348*.  
polyethylene, electron microscopy (Scott), *STP 348*.  
surface properties (Schleier, and Lyons), *STP 348*.
- Field, J. E. (discussion), 559.
- ### Field vane test
- investigation of surficial soils (Liu and Thornburn), *STP 351*.  
soils, soft clayey, correlation with unconfined compressive strength (Hall), *STP 351*.  
time effects, shear strength and sensitivity of clay (Sridharan and Madhav), 958.
- Fillio, D. N., *see* Lobdell, A. J., Shinopulos, G. F., and Fillio, D. N.
- ### Films
- ferromagnetic, neutron irradiation effects on magnetic properties (Schindler and Williams), *STP 363*.  
fluorescent X-ray spectrographic analysis of (Campbell), *STP 349*.  
internal structure of, light scattering studies (Rhodes and Stein), *STP 348*.
- Fire tests. Report of Committee E-5, 456.
- Fischer, J. A. (discussions), *STP 351*.
- Fisher, C. P., and Yorke, C. A.: The detection and interpretation of microseisms in soil masses, *STP 351*.
- Fisher, R. M.: Electron optical design of electron probes, *STP 349*.
- Flannery, J. W., and Witherell, C. E.: Welding 3½ and 9 per cent nickel steels and 36 per cent nickel-iron alloy for cryogenic service, *MR&S*, October, 533.
- Flexible barrier materials. Report of Committee F-2, 498.
- Flow test, vibration, for cement mortars (Weinland and Weinland), *MR&S*, April, 165.
- Fluorescence microscopy, resins (Zeiler), *STP 348*.
- Fluoride ions, effect on the aqueous corrosion of zirconium alloys (Berry), *STP 368*.
- ### Fly ash
- air entrainment and durability of fly-ash concrete (Larson), 866.  
heat curing line-sand-fly-ash mixtures (Mateos), *MR&S*, May, 212.  
sand-fly-ash bricks (Mateos), *MR&S*, August, 427.  
measurement of specific surface (Chopra and Narain), *MR&S*, September, 487.



- Foelsche, T.: Specific solar flare events and associated radiation dose, *STP 363*; (discussion) *STP 363*.
- Folsom, T. R., and Mohanrao, G. J.: Radioactivity in sewage disposal systems from industrial and medical wastes and fallout, *MR&S*, February, 69.
- Forrestal, L. J., see Lewis, A. F., and Forrestal, L. J.
- Foster, C. R. (discussion), 978.
- Fowkes, F. M.: Determination of intermolecular forces by surface chemistry techniques, *STP 360*; (discussion), *STP 360*.
- Fox, A.: A simple test for evaluating stress relaxation in bending, *MR&S*, September, 480.
- Fracture mechanics  
progress in measuring fracture toughness (ASTM Special Committee on Fracture Testing of High-Strength Materials), *MR&S*, March, 107.  
application to adhesive joints (Ripling, Mostovoy, and Patrick), *STP 360*.
- Fracture toughness  
adhesive joints, fracture mechanics applications (Ripling, Mostovoy, and Patrick), *STP 360*.  
progress in measuring, using fracture mechanics (ASTM Special Committee on Fracture Testing of High-Strength Materials), *MR&S*, March, 107.  
plane strain, specimen design (Sullivan), *MR&S*, January, 20.  
sheet specimens, influence of test conditions (Steigerwald and Hanna), 1128.  
steel pressure vessels at the ductile-brittle transition (Ingraham), *MR&S*, December, 649.
- Freeman, E. S. and Anderson, D. A.: Radiation-induced changes in reactivity of ammonium perchlorate, *STP 359*.
- Freeman, E. S.: Introduction, *STP 359*.
- Frequency-phase method, measuring material damping (Smith and Berns), *MR&S*, May, 225.
- Fretting, stress-direction during, effect on subsequent fatigue life (Collins and Marco), 547.
- Freudenthal, A. M., see Heller, R. A., Seki, M., and Freudenthal, A. M.
- Fridinger, T. L., see Wright, J. R., Campbell, P. G., and Fridinger, T. L.
- Fritch, D. J., see Brodriek, R. F., and Fritch, D. J.
- Frossard, M., Rinker, R. G., and Corcoran, W. H.: Determination of small quantities of nitric oxide and nitrogen dioxide in nitrogen by gas chromatography, *STP 352*.
- Fuels. Report of Committee D-2, 302.
- dioxide in nitrogen (Frossard, Rinker, and Corcoran), *STP 352*.
- Report of Committee E-19, 485.
- Gaseous fuels. Report of Committee D-3, 319.
- Gaskets  
Report of Committee F-3, 499.  
zipper-type, glazing, performance of (Mazzone, McKinley, and Malobicky), *MR&S*, September, 474.
- Gaskill, J. R. (discussion), *MR&S*, November, 616.
- Gaumer, R. E. (discussion), *STP 363*.
- Gedney, J. I., and Thomas, E. J.: The preparation of resins for microscopical examination by reflected light, *STP 348*.
- Geophysical logs, soil exploration (Guyod), *STP 351*.
- Gertiser, E. P., see Robinson, J. M. M., and Gertiser, E. P.
- Glass  
comparison of one and two point loading on strength (Kerper and Seuderi), 1037.  
fibers, effect of gage length on strength (Metcalfe and Schmitz), 1075.  
in windows, response to sonic booms (McKinley), *MR&S*, November, 594.
- Glue bonds  
end-jointed lumber, quality of (Selbo), *STP 353*.  
laminated timber construction, quality control of (Brassell), *STP 353*.  
laminated timbers, cylindrical shear specimen (Selbo), *STP 353*.  
plywood, quality of (Countryman), *STP 353*.
- Gnaedinger, J. P., and Johnson, A. I.: Introduction, *STP 351*.
- Goetz, A., and Kallai, T.: Determination of size and mass distribution of aerosols, *STP 352*.
- Goffaux, E. R.: Correcting sieve results to nominal values, *MR&S*, April, 157.
- Gohn, G. R. (discussion), *MR&S*, September, 490.
- Gohn, G. R., Herbert, G. J., and Kuhn, J. B.: The influence of composition, strain hardening, and precipitation heat treatment on the mechanical properties and stress corrosion resistance of copper-beryllium alloy strip, *STP 367*.
- Gong, W. K., see Mueller, P. K., Helwig, H. L., Aleocer, A. E., Gong, W. K., and Jones, E. E.
- Gonzalez, H. M., and Cagle, C. V.: Nondestructive testing of adhesive-bonded joints, *STP 360*.
- Grabar, D. G. (discussion), *STP 348*.
- Grabar, D. G., and Chen, C. S. H.: Microscopical techniques for the study of solid-state polymerization, *STP 348*.
- Gradient columns, for measuring the density of polyolefins (Payne and Stephenson), *MR&S*, January, 3.
- Graham, M. D., Burnett, W. C., and Thomas, J. J.: Uniformity of asphalt concrete plant production, *STP 362*.
- Graphite  
Report of Committee C-5, 245.  
Report of Committee C-6, 247.

## G

- Gray, J. E. (discussion), *STP 352*.  
 Green, D. S., see Barclay, W. F., Green, D. S. and Jackson, J. K.  
 Greenfield, S. H.: Summary of symposium on recent research on bituminous materials, *STP 347*; (discussion), *STP 347*; (discussion), *MR&S*, September, 486.  
 Grimes, G. C. (discussion), *STP 360*.  
 Grover, H. J.:  
   Definitions of fatigue-notch factor, *MR&S*, September, 493.  
   Fatigue crack propagation in sheet specimens, *MR&S*, August, 430.  
 Guettel, C. G. (discussion), 1114.  
 Gumpertz, W. H. (discussion), *STP 347*.  
 Gunn, E. L.: X-ray spectrographic analysis of liquids and solutions, *STP 349*.  
 Guyod, H.: Use of geophysical logs in soil engineering, *STP 351*.  
 Gypsum. Report of Committee C-11, 261.  
 Gypsum plasters, setting and hardening of (discussion), *MR&S*, February, 63.

## H

- Halides, alkali, effects of ionizing radiation (Royce), *STP 359*.  
 Hall, E. B.: Shear-strength determination of soft clayey soil by field and laboratory methods, *STP 351*.  
 Hall, N. W., see Wright, R. E., and Hall, N. W.  
 Hall, W. J., see Wright, R. N., Hall, W. J. and Hamada, H. S.  
 Halogenated organic solvents. Report of Committee D-26, 414.  
 Hamada, H. S., see Wright, R. N., Hall, W. J., and Hamada, H. S.  
 Hamill, J. J. (discussions), *STP 348*.  
 Hammond, C. M., and Burk, D. L.: A simplified thermal analysis technique for measuring transformation temperatures of steels, *MR&S*, June, 275.  
 Hammond, F. H., Jr.: "Polyken" probe tack tester, *STP 360*.  
 Hancock, W. V., see Northcott, P. L., Hancock, W. V., and Colbeck, H. G. M.  
 Hanna, G. L., see Steigerwald, E. A., and Hanna, G. L.  
 Hansen, T. C.: Estimating stress relaxation from creep data, *MR&S*, January, 12; (discussion), *MR&S*, September, 490.  
 Hansen, W. C. (discussion), 826.  
 Hardness, tensile strength relationships in thermomechanically treated steels (Kula and Antil), 719.  
 Harrington, L. C., and Rowe, G. H.: The linear thermal expansion of two iron-molybdenum and five nickel-molybdenum alloys from 68 to 1600 to 68 F, 699.  
 Hastelloy-X, creep-rupture behavior in vacuums (Donachie and Shepherd), *MR&S*, September, 495.  
 Havlik, A. J.: Curing environment and homogeneity of diisocyanate-linked elastomers, *MR&S*, July, 358.  
 Hayes, J. G. (discussion), *STP 347*.  
 Heat curing sand-lime-fly ash mixtures (Mateos), *MR&S*, May, 212.  
 Heat-distortion apparatus, automatic Vicat-type (Ehlers and Powers), *MR&S*, June, 298.  
 Heating elements, nickel-chromium alloys, testing (Starr), 1094.  
 Heat of solution, inorganic building materials, calorimeter for (McAdie), *MR&S*, August, 413.  
 Heat treatment  
   precipitation, copper-beryllium alloy strip (Gohn, Herbert, and Kuhn), *STP 367*.  
   Zircalloys, effect on oxide film formation and hydrogen absorption during corrosion (Kass), *STP 368*.  
 Heimerl, G. J. (discussion), *MR&S*, April, 169.  
 Heinrich, K. F. J.: Electron probe analysis in metallurgical research, *STP 349*.  
 Heller, R. A., Seki, M., and Freudenthal, A. M.: The effects of residual stress on random fatigue life, 516.  
 Helwig, H. L., see Mueller, P. K., Helwig, H. L., Aleocer, A. E., Gong, W. K., and Jones, E. E.  
 Herbert, G. J., see Gohn, G. R., Herbert, G. J., and Kuhn, J. B.  
 Hersh, H. R. (discussion), *STP 348*.  
 Hertz, J. (discussion), *STP 360*.  
 Highway materials  
   Report of Committee D-4, 321.  
   significance of test results obtained from random samples (Shook), *STP 362*.  
   toleration and variations from specification limits (Warden and Sandvig), *STP 362*.  
 Hill, O. H., Kerlin, E. E., and Smith, E. T.: Vacuum systems for dynamic studies of the engineering properties of materials during exposure to nuclear reactor irradiation, *STP 363*; (discussion), *STP 363*.  
 Hirschler, D. A. (discussion), *STP 352*.  
 Hoiberg, A. J. (discussion), *STP 347*.  
 Holmes, H. R.: Measuring the thermoelastic coefficient of metallic diaphragm materials, 991.  
 Homogeneity, elastomers, diisocyanate linked, effect of curing environment on (Havlik), *MR&S*, July, 358.  
 Howard, E. L. (discussion), *MR&S*, July, 355.  
 Hoyle, R. J., see McKean, H. B., and Hoyle, R. J.  
 Huang, E. Y., Auer, A., and Triffo, R. P.: Effect of geometric characteristics of coarse aggregates on strength of soil aggregate mixtures, 922.  
 Huggins, R. A., see Rudee, M. L., Zebroski, E. L., and Huggins, R. A.  
 Hunt, C. M., and Woolf, A. R.: Sieve techniques for obtaining small amounts of narrowly classified particles, *MR&S*, July, 364.  
 Hurlich, A. (discussions), *STP 363*.  
 Hydration, delayed, in white-coat plaster (Ramachandran, Sereida, and Feldman), *MR&S*, December, 663.  
 Hydride morphology, effect on the tensile properties of Zircaloy-2 (Babyak, Bourgeois, and Salvaggio), *STP 368*.  
 Hydrocarbons. Report of Committee D-16, 372.

Hydrologic investigation, bibliography (Johnson and Gnaedinger), *STP 351*.

Hydrogen concentration, effect on tensile properties of Zircaloy-2 (Babyak, Bourgeois, and Salvaggio), *STP 368*.

Hydrogen absorption

Zircaloys, effect of composition and heat treatment (Kass), *STP 368*.

Zircaloy-2, effect of neutron irradiation and cold work (Burns and Maffei), *STP 368*.

## I

Iannelli, A. A.: Shear tests of 4340 steel, 6Al-6V-2Sn titanium, and 7075-T6 aluminum, *MR&S*, May, 207.

Illman, J. C., and Deahl, T. J.: Alkylation of asphaltenes, *STP 347*; (discussion), *STP 347*.

Impact testing

Charpy, broaching notches in specimens (Reynolds), *MR&S*, May, 211.

plastics with an instrumented specimen-in-head machine (Kelly and Dunn), *MR&S*, December, 667.

Index of refraction, polymer identification by dispersion staining (McCrone), *STP 348*.

Industrial water. Report of Committee D-19, 382.

Infrared spectroscopy

optical coincidence index, *STP 365*.

Report of Committee E-13, 472.

Ingle, G. W., see Clark, R. J., and Ingle, G. W.

Ingraham, J. M.: Fracture behavior of steel pressure vessels at the ductile-brittle transition, *MR&S*, December, 649.

Interfaces

solid and a pressure sensitive adhesive, adhesion and boundary cleavage stress (Dahlquist), *STP 360*.

intermolecular forces at, determined by surface-chemical techniques (Fowkes), *STP 360*.

polymer to metal adhesion (Lewis and Forrestal), *STP 360*.

Intermolecular forces, determination by surface chemical techniques (Fowkes), *STP 360*.

Interlaboratory tests

cutting plastic film tension specimens (Patterson), *MR&S*, April, 159.

evaluating laboratories and methods of measurement (Lashof), *MR&S*, August, 397.

Report of Committee E-11, 469.

significance of test results obtained from random samples (Shook), *STP 362*.

tongue-tearing strength of woven fabrics (Randall), *MR&S*, February, 53.

Iron-chromium-aluminum alloy containing yttrium (Wukusick and Collins), *MR&S*, December, 637.

Iron, corrosion of, Report of Committee A-5, 113.

Iron-molybdenum alloys, thermal expansion and contraction (Harrington and Rowe), 699.

Irradiation grafting vinyl phosphonate onto polypropylene (Lewis and Forrestal), *STP 360*.

Ishai, O., see Bousso, E., and Ishai, O.

Izatt, J. O. (discussion), *STP 362*.

## J

Jackson, J. K., see Barclay, W. F., Green, D. S., and Jackson, J. K.

Jennings, M. M. (discussion), *STP 362*.

Jennings, W. H.: Forward, *STP 367*.

Jenks, G. H.: Zircaloy-2 corrosion in-pile in aqueous homogeneous reactor solutions, *STP 368*.

Johnson, A. I., and Gnaedinger, J. P.: Bibliography, *STP 351*; see also Gnaedinger, J. P., and Johnson, A. I.

Johnson, E. R.: Radiation induced decomposition of inorganic solids, *STP 359*; (discussion), *STP 359*.

Jones, E. E., see Mueller, P. K., Helwig, H. L., Alcocer, A. E., Gong, W. K., and Jones, E. E.

Jones, M. H., and Brown, W. F., Jr.: Acoustic detection of crack initiation in sharply notched specimens, *MR&S*, March, 120.

Jones, P. M.: Some engineering properties of built up roofing, *STP 347*; (discussions), *STP 347*.

Jones, R. W. (discussion), *STP 360*.

Jones, T. K.: The prediction of coating-grade asphalt weatherability from asphaltene-dispersability data, *STP 347*.

Joints

adhesive, nondestructive ultrasonic testing of (Gonzalez and Cagle), *STP 360*.

adhesive, fracture mechanics applied to (Rippling, Mostovoy, and Patrick), *STP 360*.

in window sections tested for water-leakage (Trechsel), *MR&S*, September, 483.

Journal lubricators, freight car, field testing experience (Pinney), *STP 354*.

## K

Kallai, T., see Goetz, A., and Kallai, T.

Kamrath, R. H.: Performance of phenolic and urea resins in particle-board binding, *STP 360*.

Karnowsky, M. M., and Colp, J. L.: A small tension-test specimen for plastics, *MR&S*, July, 351.

Kass, Stanley: The development of the Zircaloys, *STP 368*; (discussion), *STP 368*.

Kaufman, J. G., and Davies, R. E.: Effect of test method and specimen orientation on shear strength of aluminum alloys, 999.

Kaufman, J. G., and Knoll, A. H.: Kahn-type tear tests and crack toughness of aluminum alloy sheet, *MR&S*, April, 151.

Keating, D. A. (discussion), *STP 354*.

Keister, G. L.: Correlation of proton, neutron, electron, and photon radiation damage in transistors and diodes, *STP 363*.

Kelly, P. P., and Dunn, T. J.: Tensile impact testing of plastics with an instrumented specimen-in-head machine, *MR&S*, December, 667.

Kemp, J. W.: X-ray spectrographic analysis of metals and minerals: scope and limitations of quantitative analysis, *STP 349*.

- Kerlin, E. E., *see* Hill, O. H., Kerlin, E. E., and Smith, E. T.
- Kerper, M. J., and Scuderi, T. G.: Comparison of single point and two point loading for determining the strength of flat glass, 1037.
- Keys, R. D., and Schwartzberg, F. R.: Axial fatigue testing of sheet materials down to -423 F, *MR&S*, May, 222.
- Keyser, J. H. (discussion), *STP 362*.
- Kiek, S. N. (discussion), *MR&S*, December, 646.
- Kiley, W. R. and Dunne, J. A.: X-ray detectors, *STP 349*.
- Kinetics, solid state sintering and particle growth in tungsten-nickel-iron composites (Krock), 669.
- King, W. J. (discussion), *STP 363*.
- Klepfcr, H. H., and Douglass, D. L.: Factors limiting the use of zirconium alloys in superheated steam, *STP 368*.
- Klier, E. P., Boras, G., and Lin, J. M.: Some factors that modify slow crack propagation in high-strength sheet metal, 649.
- Klimas, J. J. (discussions), *STP 347*.
- Knight, R. S., Platt, R. B., and Smith, D. J.: New concepts in the blistering of asphalt shingles, *STP 347*.
- Knoll, A. H., *see* Kaufman, J. G., and Knoll, A. H.
- Kondner, R. L., *see* Krizek, R. J., and Kondner, R. L.
- Kornhaas, R. (discussion), *MR&S*, June, 301.
- Koroneos, E., *see* Theocaris, P. S., and Koroneos, E.
- Kraft, J. M. (discussion), *MR&S*, March, 127.
- Kraus, H. S. (discussion), *STP 360*.
- Krizek, R. J., and Konder, R. L.:  
Use of a miniature specimen in compression tests of cohesive soils, 944.  
A vibratory uniaxial compression device for cohesive soils, 934.
- Krock, R. H.:  
Effect of composition and temperature on the dynamic elastic moduli of W-Fe-Ni composite materials, 712.  
sintering and particle growth in tungsten-nickel-iron composites, 669.
- Kuhn, J. B., *see* Gohn, G. R., Herbert, G. J., and Kuhn, J. B.
- Kula, E. B., and Antcl, A. A.: Tensile strength-hardness relationships in thermomechanically treated steels, 719.
- Kurtz, S. S. (discussion), *STP 360*.
- ### L
- Laboratories, evaluation of, by round-robin tests (Lashof), *MR&S*, August, 397.
- Lachance, L., *see* Newman, K., and Lachance, L.
- Lacquer  
Report of Committee D-1, 291.  
Report of Committee D-9, 342.
- Laminates, structural, vacuum irradiation effects (Lucas), *STP 363*.
- Landgren, Robert:  
Determining the water absorption of lightweight aggregates for concrete, 846.
- Water-vapor absorption-desorption of selected lightweight concrete aggregates, 830.
- Lanning, S. H. (discussion), *STP 349*.
- Larson, T. D.: Air entrainment and durability aspects of fly-ash concrete, 866.
- Lashof, T. W.: Ranking laboratories and evaluating methods of measurement in round-robin tests, *MR&S*, August, 397.
- Lateral contraction ratio, steel, low-carbon, at elevated temperatures (Theocaris and Koroneos), 747.
- Lead, concentration in car exhaust (Mueller, Helwig, Alcoer, Gong, and Jones), *STP 362*.
- Leather. Report of ALCA-ASTM Joint Committee, 425.
- Lee, F. T., *see* Robinson, C. S., and Lee, F. T.
- Lenzin, E., *see* Stengele, F. H., and Lenzin, E.
- Levy, P. W.: Use of color centers for detection and measurement of defects, *STP 359*.
- Lewis, A. F., and Forrestal, L. J.: Chemical nature of polymer to metal adhesion, *STP 360*.
- Lewis, W. B. (discussion), *STP 368*.
- Light scattering studies of internal structure of films and fibers (Rhodes and Stein), *STP 348*.
- Lime  
Report of Committee C-7, 248.  
sand-lime-fly-ash mixtures, heat curing (Mateos), *MR&S*, May, 212.
- Lin, J. M., *see* Klier, E. P., Boras, G., and Lin, J. M.
- Lipschutz, M. E.: Cosmic-ray-induced nuclear interactions in meteorites, *STP 363*.
- Liquids  
electrical insulating. Report of Committee D-27, 416.  
X-ray spectrographic analysis of (Gunn), *STP 349*.
- Little, R. E., *see* Soni, A. H., and Little, R. E.
- Liu, T. K., and Thornburn, T. H.: Investigation of surficial soils by field vane test, *STP 351*; (discussion), *STP 351*.
- Loading  
single and two point, effect on strength of glass (Kerper and Scuderi), 1037.  
slow and rapid reversal of structural steel (Wright, Hall, and Hamada), 612.
- Lobdell, A. J., Shinopulos, G. F., and Fillio, D. N.: An instrument to measure transverse strain, *MR&S*, January, 8.
- Logistic function, for statistical analysis of fatigue limits (Soni and Little), *MR&S*, September, 471.
- Long Beach Harbor District, ground surface subsidence (Berbower and Parent), 903.
- Loveland, R. P. (discussion), *STP 348*.
- Low-cycle fatigue phenolic nylon (Mehan), 537.
- Low temperature rolling, titanium, influence on tensile properties (DeSisto and Carr), 636.
- Loretan, P. A., and Murphy, Glenn: The influence of rate of loading on the tensile properties of normal alpha uranium, 734.
- Lublin, P. (discussion), *STP 349*.
- Lubricants  
Report of Committee D-2, 302.  
vacuum irradiation of (Lucas), *STP 363*.

- Lubricators, journal, freight car, field testing experience with (Pinney), *STP* 354.
- Lucas, W. R.: Effects of vacuum and nuclear radiation on engineering materials, *STP* 363; (discussion), *STP* 363.
- Lumber  
end-jointed, quality of glue bonds in (Selbo), *STP* 353.  
quality control of lumber products (Williston), *STP* 353.  
"stress-o-matic" stress grading system (Bolger and Rasmussen), *STP* 353.  
stress grading (McKean and Hoyle), *STP* 353.  
stress grading, nondestructive physical tests and statistics (Senft, Suddarth, and Angleton), *STP* 353.
- Luke, W. I.: Alkali-carbonate reaction in concrete from Chickamauga Dam powerhouse, 587.
- Lyons, W. J., see Scheier, S. C., and Lyons, W. J.
- Lyst, J. O.: Variation in fatigue properties of aluminum alloys 2014-T6, 7075-T6 and 7079-T6 with respect to direction of working (Lyst) 581.
- Lyster, H. N. C.: The nature of the sonic boom, *MR&S*, November, 582.
- M**
- Macadam, J. N.: Properties of shafting and valve stem materials, 765.
- Madhav, M. R., see Sridharan, A., and Madhav, M. R.
- Maffei, H. P., see Burns, W. A., and Maffei, H. P.
- Magnesium and magnesium alloys. Report of Committee B-6, 205.
- Magnetic properties  
Report of Committee A-6, 175.  
ferromagnetic bulk alloys and thin films, effect of neutron irradiation (Schindler and Williams), *STP* 363.
- Malhotra, V. M.: Correlation between particle shape and surface texture of fine aggregates and their water requirement, *MR&S*, December, 656; (discussion), *MR&S*, August, 412.
- Malobicky, R. L., Jr., see Mazzoni, R. J., McKinley, R. W., and Malobicky, R. L., Jr.
- Manganese, effect on strength and ductility of semiaustenitic, 17 per cent chromium stainless steel (Barclay, Green and Jackson), 680.
- Manson, S. S. (discussion), 579.
- Marco, S. M., see Wang, D. Y., and Marco, S. M., see also Collins, J. A., and Marco, S. M.
- Marra, A. A. (discussions), *STP* 353.
- Marshall stability test, tar concrete, effects of viscosity control of tar (Bahri and Rader), 968.
- Masonry  
Report of Committee C-12, 263.  
Report of Committee C-15, 269.
- Mateos, Manuel:  
Heat curing of sand lime-fly-ash mixtures, *MR&S*, May, 212.  
Sand-fly-ash bricks, *MR&S*, August, 427.
- Maxey, C. W.: Measuring texture and contact area of end-wood surfaces, *MR&S*, June, 279.
- Mayes, W. H., and Edge, P. M., Jr.: Effects of sonic boom and other shock waves on buildings, *MR&S*, November, 588.
- Mazzoni, R. J., McKinley, R. W. and, Malobicky, R. L., Jr.: Performance of zipper-type glazing gaskets, *MR&S*, September, 474.
- McAdie, H. G.: A heat-of-solution calorimeter for inorganic building materials, *MR&S*, August, 413.
- McBrian, R., and Penney, C. O.: Research and rail inspection, *STP* 354.
- McClung, R. W.: Studies in contact micro-radiography, *MR&S*, February, 66.
- McCoy, E. E. (discussion), *MR&S*, September, 490.
- McCrone, W. C.: Dispersion staining as applied to organic polymer identification, *STP* 348.
- McIntyre, A. D. (discussion), *STP* 348.
- McKaveney, J. P. (discussion), *STP* 349.
- McKean, H. B., and Hoyle, R. J.: Stress grading method for dimension lumber, *STP* 353.
- McKinley, R. W.: Response of glass in windows to sonic booms, *MR&S*, November, 594; see also Mazzoni, R. J., McKinley, R. W., Malobicky, R. L., Jr.
- McLeod, N. W. (discussion), 979.
- Medical specimens, electron probe X-ray microanalysis (Tousimis), *STP* 349.
- Mehan, R. L.: Low-cycle fatigue behavior of phenolic nylon, 537.
- Metal ores. Report of Committee E-16, 480.
- Metal powder products  
bronze sinterings, strength constant (Biehl), *MR&S*, August, 422.  
Report of Committee B-9, 224.  
tungsten-nickel-iron composites, effect of composition and heat treatment on modulus of elasticity (Krock), 712.
- Metallic coatings. Report of Committee B-8, 222.
- Metallography  
photoelectric scanner for quantitative measurement in microstructure (Steven and Crawford), 1016.  
Report of Committee A-3, 110.  
Report of Committee E-3, 446.  
Report of Committee E-4, 454.
- Metcalfe, A. G., and Schmitz, G. K.: Effect of length on the strength of glass fibers, 1075.
- Meteorites, cosmic-ray-induced nuclear interactions in (Lipschutz), *STP* 363.
- Methods of testing. Report of Committee E-1, 430.
- Metzger, M. C., see Simmons, W. F., and Metzger, M. C.
- Michaelis, R. E.: Summary of papers on X-ray spectrochemical analysis, *STP* 349.
- Microelectronics. Report of Committee F-1, 493.
- Microscopy  
appearance of plastics (Clark and Ingle), *MR&S*, February, 76.  
electron resinography of a polyphase polymeric system (Botty), *STP* 348.  
examination of heterogeneous polymeric systems (Claver), *STP* 348.  
examination of solid state polymerization (Grabar and Chen), *STP* 348.



## Microscopy (continued)

- fluorescence microscopy of resins (Zeiler), *STP 348*.  
 observation of the fiber-forming process (Mogensen), *STP 348*.  
 phase microscopy in resinography (Morehead and Felton), *STP 348*.  
 preparation of resins for, by reflected light (Gedney and Thomas), *STP 348*.  
 studies in contact microradiography (McClung), *MR&S*, February, 66.  
 submicroscopic structures in resins, by polarized light analysis (Nahmmacher), *STP 348*.  
 ultraviolet microscopy, applications in resinography (Felton), *STP 348*.  
 Microseismisms, detection and interpretation in soil masses (Fisher and Yorke), *STP 351*.  
 Microstructure of etched aluminum foils (discussion), *MR&S*, June, 301.  
 Miller, P. H., Jr., and van Lint, V. A. J.: Space radiation effects on components and systems *STP 363*.  
 Miller, P. (discussion), *STP 363*.  
 Minerals, electron probe analysis of (Adler), *STP 349*.  
 Moavenzadeh, F., see Warner, D. B., and Moavenzadeh, F.  
 Modulus of elasticity  
   copper-beryllium alloy strip (Gohn, Herbert, and Kuhn), *STP 367*.  
   correlation with stress-o-matic fiber rating (Bolger and Rasmussen), *STP 353*.  
   relationship with modulus of rupture (dimensional lumber), (McKean and Hoyle), *STP 353*.  
   diaphragm materials, metallic from thermoelasticity coefficient and linear dimensions (Holmes), 991.  
   metals, effect of crystal structure on, at cryogenic temperatures (Broadwell and Wood), *MR&S*, October, 523.  
   W-Fe-Ni composite materials, effect of composition and temperature on (Krock), 712.  
 Modulus of flexure, epoxy resins (DeLollis), *STP 360*.  
 Modulus of rupture, lumber, relation to modulus of elasticity (McKean and Hoyle), *STP 353*.  
 Mogensen, A. O.: Microscopical apparatus and techniques for observing the fiber-forming process, *STP 348*.  
 Mohanrao, G. J., see Folsom, T. R., and Mohanrao, G. J.  
 Moisture, calibration of nuclear probes for measurement (Troxler), *STP 351*.  
 Molding time, differential, eliminating inaccuracies by statistical allocation of soil specimens (Pinto and David), 1068.  
 Monel alloys, properties of shafting and valve stems (Macadam), 765.  
 Moore, H. R. (discussion), *MR&S*, April, 169.  
 Morehead, F. F., and Felton, C. D.: Phase microscopy in resinography, *STP 348*.  
 Morrow, J. B. (discussion), *STP 360*.  
 Mortar  
   cement-lime, consistency of (Shalon and Soroka), *MR&S*, September, 465.

- masonry, effect of restraining forces on expansion (Richie), *MR&S*, January, 15.  
 masonry. Report of Committee C-12, 263.  
 Report of Committee C-3, 241.  
 uniform uniaxial compressive stress testing (Newman and Lachance), 1044.  
 vibration flow test for (Weinland and Weinland), *MR&S*, April, 165.  
 Mosses. Report of Committee D-29, 422.  
 Mostovoy, S., see Ripling, E. J., Mostovoy, S., and Patrick, R. L.  
 Mowbray, D. F., see Blatherwick, A. Z., and Mowbray, D. F.  
 Mueller, P. K., Helwig, H. L., Alcocer, A. E., Gong, W. K., and Jones, E. E.: Concentration of fine particles and lead in car exhaust, *STP 352*.  
 Mukai, M., see Tebbens, B. D., Thomas, J. F., and Mukai, M.  
 Mullen, W. G., and Dolch, W. L.: Creep of portland cement paste, 1146.  
 Murphy, Glenn, see Loretan, P. A., and Murphy, Glenn.  
 Murr, L. E. S., see Wilkov, M. A., and Murr, L. E. S.  
 Mylonas, C. (discussion), *STP 360*.

## N

- Nahmmacher, M.: Analysis of submicroscopic structures in resins, *STP 348*.  
 Narain, S. N., see Chopra, S. K., and Narain, S. N.  
 Naval stores. Report of Committee D-17, 375.  
 Neutron irradiation  
   color centers for detection and measurement of defects (Levy), *STP 359*.  
   effects on Zircaloy-2 corrosion and hydrogen pickup (Burns and Maffei), *STP 368*.  
   ferromagnetic bulk alloys and thin films (Schindler and Williams), *STP 363*.  
 Neville, A. M. (discussion), *MR&S*, August, 412.  
 Newberry, C. W.: Measuring the sonic boom and its effect on buildings, *MR&S*, November, 601.  
 Newkirk, J. B. (discussion), *STP 349*.  
 Newman, K., and Lachance, L.: The testing of brittle materials under uniform uniaxial compressive stress, 1044.  
 Newman, S. B.: Resinography with 8-A X-rays *STP 348*; (discussion), *MR&S*, September, 486.  
 Nickel and nickel alloys  
   effect on strength and ductility of semi-austenitic, 17 per cent chromium stainless steel (Barclay, Green and Jackson), 680.  
   Report of Committee B-2, 188.  
 Nickel-chromium alloys used as heating elements, testing (Starr), 1094.  
 Nickel oxalate, irradiated, thermal decomposition (Prout and Brown), *STP 359*.  
 Nickel-molybdenum alloys,  
   thermal expansion and contraction (Harrington and Rowe), 699.  
   nickel-iron alloy 36 per cent, welded for cryogenic applications (Flannery and Witherell), *MR&S*, October, 533.



- Nitrates, inorganic radiation induced decomposition of (Johnson), *STP 359*.
- Nitric oxide in nitrogen, determination by gas chromatography (Frossard, Rinker, and Corcoran), *STP 352*.
- Nitrogen, nitric oxide and nitrogen dioxide in, determined by gas chromatography (Frossard, Rinker, and Corcoran), *STP 352*.
- Nitrogen dioxide in nitrogen, determination by gas chromatography (Frossard, Rinker, and Corcoran), *STP 352*.
- Nomenclature. Report of Committee E-8, 464.
- Nondestructive testing
- adhesive-bonded joints (Gonzalez and Cagle), *STP 360*.
  - rail inspection (McBrian and Penny), *STP 354*.
  - Report of Committee E-7, 460.
  - stress-grading dimension lumber (McKean and Hoyle), *STP 353*.
  - stress grading lumber (Senft, Suddarth, and Angleton), *STP 353*.
- Nonferrous metals
- Report of Committee B-2, 188.
  - Report of Committee B-3, 193.
- Norris, C. B.: Review of studies of the plastic bending of wood beams, *STP 353*.
- Northcott, P. L., Hancock, W. V., and Colbeck, H. G. M.: Evidence of need for wood failure standard, *STP 360*.
- Norwalk, S., see Bugel, T. E., Norwalk, S., and Snedeker, R. H.
- Nuclear fuels, evaluation by contact micro-radiography (McClung), *MR&S*, February, 66.
- Nuclear interactions, cosmic-ray-induced, in meteorites (Lipschutz), *STP 363*.
- Nuclear moisture density meters
- bibliography (Johnson and Gnaedinger), *STP 351*.
  - calibration of probes (Troxler), *STP 351*.
- Nuclear reactors, in-pile corrosion of Zircaloy-2 (Jenks), *STP 363*.
- Nutting, R. G., see O'Neill, A. L., and Nutting, R. G.
- Nylon, low-cycle fatigue behavior, phenolic nylon (Mehan), 537.

## O

- Optics
- electron optical design of electron probes (Fisher), *STP 349*.
  - X-ray, in electron microanalysis (Ogilvie), *STP 349*.
- Ores. Report of Committee E-16, 480.
- Oxidation
- asphalt, and carbon arc intensity (Wright, Campbell, and Fridinger), *STP 347*.
  - nickel-chromium alloys used for heating elements (Starr), 1094.
  - stability of diesel lubricating oils (Wright), *STP 354*.
- Oxide films
- effect of fluoride ions on the corrosion of zirconium alloys (Berry), *STP 363*.
  - formation during corrosion of Zircalloys, effect of composition and heat treatment (Kass), *STP 363*.
  - zirconium alloys growth and breakdown (Wanklyn), *STP 363*.
- Oxidized asphalt, effect of heat on (Wronkin), *STP 347*.

## P

- Packaging. Report of Committee D-10, 349.
- Paint
- effect on solar heating of parabolic antennas (Pryjma), 1011.
  - Report of Committee D-1, 291.
  - Report of Committee D-9, 342.
- Paper and paper products. Report of Committee D-6, 331.
- Paramagnetic resonance, transition elements and irradiated substances (Sahni), *STP 369*.
- Parent, C. F., see Berbower, R. F., and Parent, C. F.
- Particle board, comparison of urea and phenolic resins used in binding (Kamrath), *STP 360*.
- Particle growth, tungsten-nickel-iron composites (Krock), 669.
- Particle size
- correction of sieve results to nominal values (Goffaux), *MR&S*, April, 157.
  - fine aggregates and water requirement (Malhotra), *MR&S*, December, 656.
  - narrowly classified particles by sieve techniques (Hunt and Woolf), *MR&S*, July, 364.
  - sand containing friable fragments (Bull), *MR&S*, August, 407.
- Particulates, concentration in car exhaust (Mueller, Helwig, Alcocer, Gong, and Jones), *STP 352*.
- Particulates. Report of Committee D-22, 406.
- Patrick, R. L., see Ripling, E. J., Mostovoy, S., and Patrick, R. L.
- Patterson, G. D., Jr.: An interlaboratory study of cutting plastic film tension specimens, *MR&S*, April, 159.
- Patterson, H. T.: Fiber elastomer adhesion variables, *STP 360*.
- Payne, N., and Stephenson, C. E.: Measuring the density of polyolefins with an improved gradient column, *MR&S*, January, 3.
- Peats. Report of Committee D-29, 422.
- Pedrick, A. S.: Introduction, *STP 354*.

- Peel force solids and a pressure sensitive adhesive, (Dahlquist), *STP 360*.
- Penney, C. O., see McBrian, R., and Penney, C. O.
- Periodical titles, coden for (supplement), *STP 329-S 1*.
- Permeability, air, of asphalt concrete (discussion), *MR&S*, February, 74.
- Peterson, R. E. (discussion), *MR&S*, February, 80.
- Petroleum products. Report of Committee, D-2, 302.
- Petronio, M. (discussion), *STP 360*.
- Phase microscopy, resinography (Morehead and Felton), *STP 348*.
- Phelan, P. F. (discussion), 977
- Phenol-formaldehyde resins, comparison with urea resins in particle board binding, (Kamrath), *STP 360*.
- Phenolic resins, low-cycle fatigue behavior of phenolic nylon (Mehan), 537.
- Phosphor bronze, thermoelasticity, constant -65 to 165 F (Holmes), 991.
- Photoelectric scanner, quantitative measurements, phases and constituents in metallic microstructures (Steven and Crawford), 1016.
- Photography  
aerial, reconnaissance exploration of subsurface conditions (Erb), *STP 351*.  
high speed for photoelasticity studies (Wright and Hall), *STP 348*.
- Pinny, M. A.: Field testing experience with freight car journal lubricators, *STP 354*.
- Pinto, C. and David, H. T.: Statistical allocation of soil specimens to eliminate inaccuracies in differential molding time, 1068.
- Pitches, softening point by a ring-and-ball test (ASTM Committee D-8), *MR&S*, August, 417.
- Plaster, white-coat, delayed hydration (Ramachandran, Sereida and Feldman), *MR&S*, December, 663.
- Plastic bending, wood beams, review of studies (Norris), *STP 353*.
- Plastic flow structural steel, resistance to under slow and rapid reversal of loading (Wright, Hall, and Hamada), 612.
- Plasticity index, surficial soils (Liu and Thornburn), *STP 351*.
- Plastic limit  
cohesive soils, the human factor in determining (discussion), *MR&S*, December, 646.  
soils, as a binary packing phenomenon (Ballard), *MR&S*, July, 366.
- Plastics  
appearance, and micromorphology of (Clark and Ingle), *MR&S*, February, 76.  
density of polyolefins, gradient column for measuring (Payne and Stephenson), *MR&S*, January, 3.  
interlaboratory study of cutting plastic film tension specimens (Patterson), *MR&S*, April, 159.  
Report of Committee D-9, 342.  
Report of Committee D-20, 388.  
tensile impact testing with an instrumented specimen-in-head machine (Kelly and Dunn), *MR&S*, December, 667.  
tension testing, small specimens (Karnowsky and Colp), *MR&S*, July, 351.
- Platt, R. B., see Knight, R. S., Platt, R. B., and Smith D. J.
- Plywood, as an engineering material (Countryman), *STP 353*.
- Poisson's ratio, instrument for measuring transverse strain (Lobdell, Shinopulos, and Filio), *MR&S*, January, 8.
- Polarized light, analysis of submicroscopic structures in resins (Nahmmacher), *STP 348*.
- Polishes. Report of Committee D-21, 404.
- Polivka, Milos, see Bertero, Vitelmo, and Polivka, Milos
- Polyethylene  
carbon-black recovered under pyrolysis conditions (Schreiber), *MR&S*, June, 288.  
fibers, electron microscopy (Scott), *STP 348*.
- Polyolefins, density measured with gradient column (Payne and Stephenson), *MR&S*, January, 3.
- Polymers  
adhesion to metals, chemical nature (Lewis and Forrestal), *STP 360*.  
electron resinography of a polyphase polymeric system (Botty), *STP 348*.  
heterogeneous polymeric systems, microscopical studies of (Claver), *STP 348*.  
identification by dispersion staining (McCrone), *STP 348*.  
microscopic examination of solid state polymerization (Grabar and Chen), *STP 348*.
- Porcelain enamel. Report of Committee C-22, 285.
- Potting compounds, vacuum irradiation effects (Lucas), *STP 363*.
- Powder metallurgy. Report of Committee B-9, 224.
- Power, J. K.: Some results of the Oklahoma City sonic boom tests, *MR&S*, November, 617.
- Powers, W. M., see Ehlers, G. F. L., and Powers W. M.
- Preservative-treated wood, result-type specifications for (Baechler), *STP 353*.
- Pressure vessels  
for underwater service, sandwich cylinder construction (Brink), *MR&S*, April, 162.  
stainless steel type 301, cryogenically stretched for low-temperature service (Alper), *MR&S*, October, 525.  
steel, fracture behavior at the ductile-brittle transition (Ingraham), *MR&S*, December, 649.
- Prestressing, cyclic, influence on fatigue limit (discussion), *MR&S*, August, 411.
- Proportional limit, copper-beryllium alloy strip (Gohn, Herbert, and Kuhn), *STP 367*.
- Proteins. Report of Committee D-25, 412.
- Proton accelerator bombardment for simulating space radiation damage to transistors and diodes (Brown), *STP 363*.
- Pyrolysis conditions, carbon-black recovery from polyethylene compounds (Schreiber), *MR&S*, June, 288.

- Pryjma, J.: The effect of paint finish on solar heating of parabolic antennas, 1011.  
 Prout, E. G., and Brown, M. E.: Thermal decomposition of irradiated nickel oxalate, *STP 359*.  
 Prout, E. G., and Woods, G. S.: X-ray diffraction studies of silver permanganate, *STP 359*.  
 Pyrolytic materials. Report of Committee C-6, 247.

## Q

- Quality control  
   laminated timber construction (Brassell), *STP 353*.  
   lumber products (Williston), *STP 353*.  
 Quantitative analysis  
   electron probe (Wittry), *STP 349*.  
   metals and minerals by X ray spectroscopy (Kemp), *STP 349*.

## R

- Rader, L. F., see Bahri, G. R., and Rader, L. F.  
 Radiation  
   decay products in ceramics (discussion), *MR&S*, May, 220.  
   in sewage disposal systems from industrial and medical wastes and fallout (Folsom and Mohanrao), *MR&S*, February, 69.  
 Radiation dosimetry, solar flare events (Foelsche), *STP 363*.  
 Radiation effects  
   annealing of radiation damage in space (Binder), *STP 363*.  
   computer codes for radiation effects (Dye), *STP 363*.  
   effects of ionizing radiation on alkali halides (Royce), *STP 359*.  
   effects of temperature and radiation on metals (Watson), *STP 363*.  
   low energy radiation damage in a body-centered cubic lattice (Erginsoy), *STP 359*.  
   proton accelerator bombardment for simulating space radiation damage to transistors (Brown), *STP 363*.  
   radiation-induced changes in the reactivity of ammonium perchlorate (Freeman and Anderson), *STP 359*.  
   radiation-induced decomposition of inorganic solids (Johnson), *STP 359*.  
   Report of Committee E-10, 467.  
   space radiation damage to transistors (Gardner and Coss), *STP 363*.  
   space radiation effects on components and systems (Miller and van Lint), *STP 363*.  
   thermal decomposition of irradiated nickel oxalate (Prout and Brown), *STP 359*.  
   transistors and diodes, correlation of proton, neutron, electron, and photon damage (Keister), *STP 363*.  
   vacuum irradiation of engineering materials (Lucas), *STP 363*.  
   vacuum systems for dynamic studies of properties of materials during exposure to nuclear reactor radiation (Hill, Kerlin, and Smith), *STP 363*.

- Radioisotopes. Report of Committee E-10, 467.  
 Radium, decay products in ceramics (discussion), *MR&S*, May, 220.  
 Radiography, studies in contact microradiography (McClung), *MR&S*, February, 66.  
 Raghavan, M. R.: Effect of cross-sectional shape on fatigue strength of steel, *MR&S*, June, 290; (discussion), *MR&S*, February, 80.  
 Railroads  
   automated system for cleaning equipment (Stengele and Lenzin), *STP 354*.  
   rail inspection (McBrian and Penny), *STP 354*.  
   research and control facilities for diesel locomotives (Thomas), *STP 354*.  
 Railroad bridges, timber (Ruble and Drew), *STP 353* and *354*.  
 Rall, W. (discussion), *STP 363*.  
 Ramachandran, V. S., Sereda, P. J., and Feldman, R. F.: Delayed hydration in white-coat plaster, *MR&S*, December, 663.  
 Ramsay, W. A.: Damage to Ottawa air terminal building produced by a sonic boom, *MR&S*, November, 612.  
 Randall, E. B., Jr.: Interlaboratory evaluation of procedures for tongue-tearing strength of woven fabrics, *MR&S*, February, 53.  
 Random samples significance of test results (highway materials), (Shook), *STP 362*.  
 Range switching, automatic recording of wide-range strain or displacement data (Rudee, Zebroski, and Huggins), *MR&S*, February, 61.  
 Rasmussen, C. A., see Bolger, R. J., and Rasmussen, C. A.  
 Rate of loading, influence on the tensile properties of normal alpha uranium (Loretan and Murphy), 734.  
 Reactivity, ammonium perchlorate, radiation induced changes (Freeman and Anderson), *STP 359*.  
 Recording, automatic, wide-range strain or displacement data with range switching (Rudee, Zebroski, and Huggins), *MR&S*, February, 61.  
 Refractories. Report of Committee C-8, 250.  
 Refractory metals, W-Fe-Ni composites, effect of composition and temperature on modulus of elasticity of (Krock), 712.  
 Reinforced concrete, degree of restraint, effect on mechanical properties (Bertero and Polivka), 797.  
 Reinhardt, F. W.: Introduction, *STP 360*.  
 Resins  
   comparison of urea and phenolic resins used in particle board binding (Kamrath), *STP 360*.  
   electron resinography of a polyphase polymeric system (Botty), *STP 348*.  
   fluorescence microscopy of (Zeiler), *STP 348*.  
   heterogeneous polymeric systems, microscopical studies of (Claver), *STP 348*.  
   identification by dispersion staining (McCrone), *STP 348*.  
   phase microscopy (Morehead and Felton), *STP 348*.  
   preparation for microscopical examination by

## Resins (continued)

- reflected light (Gedney and Thomas), *STP* 348.
- resinography with 8-A X-rays (Newman), *STP* 348.
- stress crazing failure—a mechanism of surface formation through wetting (Coulehan), *STP* 348.
- submicroscopic structures by polarized light analysis (Nahmmacher), *STP* 348.
- ultraviolet microscopy (Felton), *STP* 348.
- Restraining forces, effect on mechanical properties of expansive concrete (Bertero and Polivka), 797.
- Reynolds, M. B.: Broaching notches in Charpy impact specimens, *MR&S*, May, 211.
- Rheological properties, polymer to metal adhesion (Lewis and Forrestal), *STP* 360.
- Rhodes, M. B. and Stein, R. S.: Light-scattering studies of the internal structure of films and fibers, *STP* 348.
- Ridge, M. J. (discussion), *MR&S*, February, 63.
- Rinker, R. G., see Frossard, M., Rinker, R. G., and Corcoran, W. H.
- Ripling, E. J., Mostovoy, S., and Patrick, R. L.: Application of fracture mechanics to adhesive joints, *STP* 360.
- Measuring fracture toughness of adhesive joints, *MR&S*, March, 129.
- Ritchie, T.: Effect of restraining forces on the expansion of masonry mortars, *MR&S*, January, 15.
- Road and paving materials. Report of Committee D-4, 321.
- Robinson, C. S., and Lee, F. T.: Engineering geology of Straight Creek Tunnel Site, Colo., *STP* 351.
- Robinson, J. M. M., and Gertiser, E. P.: X-ray spectrographic analysis of raw materials for the cement industry, *MR&S*, May, 228.
- Rochow, T. G.: Introduction to resinography, *STP* 348; (discussion), *STP* 348.
- Rockwell hardness test
- copper-beryllium alloy strip (Gohn, Herbert, and Kuhn), *STP* 367.
  - effect of surface preparation and roughness (ASTM Committee E-1), *MR&S*, December, 659.
- Rolling, subzero, effect on tensile properties of titanium (DeSisto and Carr), 636.
- Rodenberger, C. A. (discussion), *STP* 360.
- Romanko, J. (discussion), *STP* 363.
- Roofing materials
- built up roofing, engineering problems of (Jones), *STP* 347.
  - projection X-ray microscopy (discussion), *MR&S*, September, 486.
  - Report of Committee D-8, 339.
- Rosenfeld, M. S. (discussion), 558.
- Rossano, A. T., Jr., Introduction, *STP* 352.
- Roughness, effect on Rockwell hardness readings (ASTM Committee E-1), *MR&S*, December, 659.
- Round robin tests, see Interlaboratory tests.
- Rowe, G. H., see Harrington, L. C., and Rowe, G. H.

- Royce, B. S. H.: Effect of ionizing radiation on alkali halides, *STP* 359; (discussion), *STP* 359.
- Rubber. Report of Committee D-11, 351.
- Ruble, E. J. and Drew, F. P.: Research for better timber railroad bridges, *STP* 363 and *STP* 354.
- Rudee, M. L., Zebroski, E. L., and Huggins, R. A.: Automatic recording of wide-range strain or displacement data, *MR&S*, February, 61.
- Rudolph, J. P. (discussion), *STP* 349.
- Rupture strength, super-strength alloys, *STP* 170-C.

## S

- Sahni, R. C.: Paramagnetic resonance of transition elements and irradiated substances, *STP* 359.
- Salvaggio, G. J., see Babyak, W. J., Bourgeois, W. F., and Salvaggio, G. J.
- Sampling
- effect on compressive strength of concrete (discussion), *MR&S*, July, 355.
  - (highway materials) significance of test results obtained from random samples (Shook), *STP* 362.
  - materials for use in Oroville Dam, (O'Neill and Nutting), *STP* 351.
  - small amounts of narrowly classified particles by sieve techniques (Hunt and Woolf), *MR&S*, July, 364.
  - undisturbed, of soil, mechanical methods (Clark), *STP* 351.
- Sand
- containing friable fragments, particle-size analysis of (Bull), *MR&S*, August, 407.
  - correlation between particle shape, surface texture and water requirement (Malhotra), *MR&S*, December, 656.
  - fly-ash-sand bricks (Mateos), *MR&S*, August, 427.
  - heat curing lime-sand-fly ash mixtures, (Mateos), *MR&S*, May, 212.
  - undisturbed, consolidation test (Bull), *MR&S*, July, 347.
- Sandvig, L. D., see Warden, W. B., and Sandvig, L. D.
- Sandwich construction
- Report of Committee C-19, 281.
  - cylinder, for underwater pressure vessels (Brink), *MR&S*, April, 162.
- Savage, C. W. (discussion), *STP* 354.
- Scheier, S. C., and Lyons, W. J.: Measurement of surface properties of fibers (Scheier and Lyons), *STP* 348.
- Schiller, K. (discussion), *MR&S*, February, 63.
- Schindler, A. I., and Williams, C. M.: Effects of neutron irradiation on the magnetic properties of ferromagnetic bulk alloys and thin films, *STP* 363.
- Schmitz, G. K., see Metcalfe, A. G., and Schmitz, G. K.
- Schofield, B. H. (discussion), *MR&S*, March, 127.
- Schreiber, H. P.: Pyrolysis conditions for carbon-

- black recovery from polyethylene compounds, *MR&S*, June, 288.
- Schwartzberg, F. R., *see* Keys, R. D., and Schwartzberg, F. R.
- Schweyer, H. E. (discussions), *STP 347*.
- Scott, R. G.: The electron microscope applied to a study of polyethylene fibers, *STP 348*.
- Scuderi, T. G., *see* Kerper, M. J., and Scuderi, T. G.
- Sealants, joint. Report of Committee C-24, 287.
- Sealing materials, automotive industry (Twiss) *STP 360*.
- Seismic geophysics, bibliography (Johnson and Gnaedinger), *STP 351*.
- Seki, M. *see* Heller, R. A., Seki, M., and Freudenthal, A. M.
- Semiconductors  
annealing of radiation damage in space (Binder), *STP 363*.  
Report of Committee F-1, 493.
- Senft, J. F., Suddarth, S. K. and Angleton, H. D.: Physical tests and statistics for improved lumber stress grading, *STP 353*.
- Sereda, P. J., *see* Ramachandran, V. S., Sereda, P. J., and Feldman, R. F.
- Set retarding admixtures, portland cement concrete (Dodson and Farkas), 816.
- Sewage disposal systems, radioactivity in, from industrial and medical wastes and fallout (Folsom and Mohanrao), *MR&S*, February 69.
- Sewer pipe  
clay. Report of Committee C-4, 244.  
concrete. Report of Committee C-13, 265.
- Shalon, R. and Soroka, I.: Consistency of cement-lime mortars, *MR&S*, September, 465.
- Shane, R. S., (discussions), *STP 363*.
- Shape, cross-sectional, of steel, effect on fatigue strength (Raghavan), *MR&S*, June, 290.
- Sharpe, L. H. (discussions), *STP 360*.
- Shear test jig capable of handling of 4340 steel, 6Al-6V-2Sn titanium, and 7075-T6 aluminum (Ianelli), *MR&S*, May, 207.
- Shear strength  
aluminum alloys, effect of test method and specimen orientation (Kaufman and Davies), 999.  
clay, time effects and sensitivity (Sridharan and Madhav), 958  
glue bonds in laminated timber (Selbo), *STP 353*.  
soft clayey soil, field and laboratory methods (Hall), *STP 351*.  
surficial soils (Liu and Thornburn), *STP 351*.  
shafting and valve stem materials (Macadam), 765.  
soils correlation of unconfined compressive strength with field vane test (Hall), *STP 351*.
- Sheet materials  
axial fatigue testing down to -423 F (Keys and Schwartzberg), *MR&S*, May, 222.  
fatigue crack propagation (Grover), *MR&S*, August, 430.  
influence of test conditions on fracture toughness (Steigerwald and Hanna), 1128.
- slow crack propagation in high strength sheet materials (Klier, Boras, and Lin), 649.
- Shepherd, R. G., *see* Donachie, M. J., Jr., and Shepherd, R. G.
- Shinopulos, G. F., *see* Loddell, A. J., Shinopulos, G. F., and Fillio, D. N.
- Shobert, E. I., II: Introduction, *STP 56-R*.
- Shock waves  
measurement of sonic boom and effects on buildings (Newberry), November, 601.  
nature of sonic boom (Lyster), *MR&S*, November, 582.  
response of glass in windows to sonic boom, (McKinley), *MR&S*, November, 594.  
results of the Oklahoma City sonic boom tests (Power), *MR&S*, November, 617.  
sonic boom damage to Ottawa air terminal (Ramsay), *MR&S*, November, 612.  
sonic boom effect on buildings (Mayes and Edge), *MR&S*, November, 588.
- Shook, J. F.: Significance of test results obtained from random samples, *STP 362*.
- Sieve analysis  
obtaining small amounts of narrowly classified particles (Hunt and Woolf), *MR&S*, July, 364.  
particle size of sand containing friable fragments (Bull), *MR&S*, August, 407.  
results corrected to nominal values (Goffaux), *MR&S*, April, 157.
- Silver permanganate, X-ray diffraction studies of (Prout and Woods), *STP 359*.
- Simmons, W. F., and Metzger, M. C.: Compilation of chemical composition and rupture strengths of super-strength alloys, *STP 170-C*.
- Sinterings, tungsten nickel-iron composites (Krock), 669.
- Skid resistance. Report of Committee E-17, 484.
- Smith, C. R.: (discussion), 536.
- Smith, D. J., *see* Knight, R. S., Platt, R. B., and Smith, D. J.
- Smith, E. T., *see* Hill, O. H., Kerlin, E. E., and Smith, E. T.
- Smith, G. M., and Berns, H. D.: Frequency-phase method for measuring material damping, *MR&S*, May, 225.
- Snedeker, R. H., *see* Bugel, T. E., Norwalk, S., and Snedeker, R. H.
- Smith, R. W. (discussion), *STP 349*.
- Snoke, H. R.: Introduction, *STP 347*.
- Soaps. Report of Committee D-12, 354.
- Sobatski, R. J., *see* Baum, H., Callan, T. P., Jr., and Sobatski, R. J.
- Sodium chloride, color centers for detection and determination of defects in (Levy), *STP 359*.
- Softening point  
asphalts, tars, and pitches, a ring-and-ball test (ASTM Committee D-8), *MR&S*, August, 417.  
softening range apparatus, automatic Vicat type (Ehlers and Powers), *MR&S*, June, 298.
- Soils  
compressive strength of soil-aggregate mixtures, effect of size of aggregates (Huang, Auer, and Triffo), 922.



Soils (*continued*)

- detection and identification of microseisimins in soil masses (Fisher and Yorke), *STP 351*.
- field vane testing of surficial soils (Liu and Thornburn), *STP 351*.
- human factor in determining plastic limit (discussion), *MR&S*, December, 646.
- mechanical methods of undisturbed soil sampling (Clark), *STP 351*.
- miniature specimen for compression tests of cohesive soils (Krizek and Kondner), 944.
- plastic limit as a binary packing phenomenon (Ballard), *MR&S*, July, 366.
- Report of Committee D-18, 377.
- shear testing soft clayey soils (Hall), *STP 351*.
- vibratory uniaxial compression test (Krizek and Kondner), 934.
- statistical analysis of, to eliminate inaccuracies in differential molding time (Pinto and David), 1068.
- vane tested for shear strength and sensitivity (Sridharan and Madhav), 958.
- Soil exploration
  - aerial photographic interpretation of sub-surface conditions (Erb), *STP 351*.
  - geophysical logs for (Guyod), *STP 351*.
  - "NX" bore hole camera (Trantina and Cluff), *STP 351*.
  - reverse circulation drillings (Burnham), *STP 351*.
- Solar flare, radiation doses (Foelsche), *STP 363*.
- Solar heating, parabolic antennas, effect of paint finish (Pryjma), 1011.
- Solid-state, polymerization microscopical examination (Grabar and Chen), *STP 348*.
- Solvents. Report of Committee D-26, 414.
- Sonar seismic systems, subsurface exploration (van Reenan), *STP 351*.
- Soni, A. H., and Little, R. E.: Statistical analysis of fatigue limits using the logistic function. *MR&S*, September, 471.
- Sonic boom
  - damage to, Ottawa air terminal (Ramsay), *MR&S*, November, 612.
  - effect on buildings (Mayes and Edge), *MR&S*, November, 588.
  - measurement of, and effect on buildings (Newberry), *MR&S*, November, 601.
  - nature of (Lyster), *MR&S*, November, 582.
  - response of glass in windows (McKinley), *MR&S*, November, 594.
  - results of the Oklahoma City tests (Power), *MR&S*, November, 617.
- Soroka, I., see Shalon, R., and Soroka, I.
- Space environment. Report of Committee E-21, 491.
- Specific surface, fly ash, measurement of (Chopra and Narain), *MR&S*, September, 487.
- Specification limits
  - highway material, tolerances and variations from (Warden and Sandvig), *STP 362*.
  - statistical data analysis, establishing by (Carpenter and Oglio), *STP 362*.
- Specimen design, plane-strain fracture toughness tests (Sullivan), *MR&S*, January, 20.

## Spectroscopy

- Report of Committee E-2, 441.
- Report of Committee E-13, 472.
- Splitting, built up roofing (Jones), *STP 347*.
- Spriggs, R. M., Brissette, L. A., and Vasilos, T.: Tensile strengths of dense polycrystalline ceramics by the diametral-compression test, *MR&S*, May, 218.
- Sridharan, A., and Madhav, M. R.: Time effects on vane shear strength and sensitivity of clay 958.
- Stainless steel
  - cryogenic irradiation of sheeting (Watson), *STP 363*.
  - properties of shafting and valve stems (Macadam), 765.
  - semiaustenitic, 17 per cent chromium, effects of nickel, manganese and copper on strength and ductility (Barclay, Green and Jackson) 680.
  - type 301, cryogenically stretch-formed (Alper), *MR&S*, October, 525.
- Stain resistance, paint applied to cedar siding (Williston), *STP 353*.
- Starr, W. D.: Methods of testing nickel-chromium alloys used for heating elements, 1094.
- Static bend test, "stress-o-matic" stress rating system (Bolger and Rasmussen), *STP 353*.
- Statistical analysis
  - consistency of cement-lime mortars (Shalon and Soroka), *MR&S*, September, 465.
  - fatigue data and fatigue testing, *STP 91-A*.
  - fatigue limits using the logistic function (Soni and Little), *MR&S*, September, 471.
  - for establishing specification limits (Carpenter and Oglio), *STP 362*.
  - highway materials, significance of test results obtained from random samples (Shook), *STP 362*.
  - highway materials, tolerance and variance from specification limit (Warden and Sandvig), *STP 362*.
  - ranking laboratories and evaluating methods of measurement in round-robin tests (Lashof), *MR&S*, August, 397.
- Report of Committee E-11, 469.
- soil specimens to eliminate inaccuracies in differential molding time (Pinto and David), 1068.
- uniformity of asphalt concrete plant production (Graham, Burnett, and Thomas), *STP 362*.
- Steam turbine blade materials erosion (De Corso), 782.
- Steel
  - 3½ and 9 per cent nickel, and 36 per cent nickel-iron alloy welded for cryogenic application (Flannery and Witherell), *MR&S*, October, 533.
  - behavior of, under slow and rapid reversal of loading (Wright, Hall, and Hamada), 612.
  - comparison of the properties of basic oxygen and open hearth steels, *STP 364*.
  - cryogenically stretch formed type 301 stainless steel for cryogenic service (Alper), *MR&S*, October, 525.



- erosion of steam turbine blade materials (DeCorso), 782.
- fatigue strength, influence of cross-sectional shape (Raghavan), *MR&S*, June, 290.
- low-carbon, variation of lateral contraction ratio at elevated temperatures (Theocaris and Koroneos), 747.
- properties of shafting and valve stems (Macadam), 765.
- Report of Committee A-1, 97.
- Report of Committee A-5, 113.
- Report of Committee A-10, 180.
- semiaustenitic, 17 per cent chromium stainless steel, effect of nickel, manganese and copper on its strength and ductility (Barclay, Green and Jackson), 680.
- stress-strain relationships in low- and intermediate-cycle fatigue (Blatherwick and Mowbray), 561.
- shear test jig for (Ianelli), *MR&S*, May, 207.
- superstrength, preparation of R. R. Moore fatigue specimens (Tarwater), *MR&S*, June, 289.
- thermomechanically treated, tensile strength-hardness relationships (Kula and Ancil), 719.
- transformation temperatures measured by thermal analysis (Hammond and Burk), *MR&S*, June, 275.
- Steigerwald, E. A., and Hanna, G. L.: Influence of test conditions on the determination of plane-strain fracture toughness from sheet specimens, 1128.
- Stein, R. S. (discussions), *STP 348*, see also Rhodes, M. B., and Stein, R. S.
- Steinhaus, M. (discussion), *STP 353*.
- Stellite, erosion of steam turbine blade materials (DeCorso), 782.
- Stengele, F. H., and Lenzin, E.: Automated systems for cleaning diesel engines and other railroad equipment, *STP 354*.
- Stephenson, C. E., see Payne, N., and Stephenson, C. E.
- Steven, G., and Crawford, R. G.: A photoelectric scanner for quantitative metallography, 1016.
- Stickney, F. S., (discussion), *STP 367*.
- Sticking and blocking paint films during shipment, test for (Williston), *STP 353*.
- Stone, building. Report of committee C-18, 279.
- Straight Creek Tunnel Site, Colo., engineering geology of (Robinson and Lee), *STP 351*.
- Strain aging, fatigue behavior of tantalum (Wang and Marco), 595.
- Strain hardening, copper-beryllium alloy strip (Gohn, Herbert, and Kuhn), *STP 367*.
- Strength constant, bronze sinterings (Biehl), *MR&S*, August, 422.
- Stress corrosion resistance, copper-beryllium alloy strip (Gohn, Herbert and Kuhn), *STP 367*.
- Stress crazing failure surface formation through wetting (Coulehan), *STP 348*.
- Stress direction during fretting, effect on subsequent fatigue life (Collins and Marco), 547.
- Stress grading  
dimension lumber (McKean and Hoyle), *STP 353*.
- lumber, physical tests and statistics (Senft, Suddarth, and Angleton), *STP 353*.
- "stress-o-matic" stress-rating system (Bolger and Rasmussen), *STP 353*.
- Stress relaxation  
estimated from creep data (discussion), *MR&S*, September, 490.
- estimation from creep data (Hansen), *MR&S*, January, 12.
- evaluation in bending (Fox), *MR&S*, September, 480.
- Stress, residual fatigue life, random, effect on (Heller, Seki, and Freudenthal), 516.
- Stress-rupture tests, tungsten at 6000 F with an electron-beam furnace (Brodrick and Fritch), 505.
- Stress-strain relationships in low- and intermediate cycle fatigue (Blatherwick and Mowbray), 561.
- Suddarth, S. K. see Senft, J. F., Suddarth, S. K., and Angleton, H. D.
- Subsurface exploration, underwater, two sonar seismic systems for (van Reenan), *STP 351*.
- Sullivan, A. M.: New specimen design for plane-strain fracture toughness tests, *MR&S*, January, 20.
- Supersonic transport, materials for (discussion), *MR&S*, April, 168.
- Super-strength alloys  
composition and rupture strengths, compilation of (Simmons and Metzger) *STP 170-C*.
- creep-rupture behavior in vacuum (Donachie and Shepherd), *MR&S*, September, 495.
- Surface subsidence, Long Beach Harbor District (Berbower and Parent), 903.
- Surfaces  
effect of surface preparation on Rockwell hardness readings (ASTM Committee E-1), *MR&S*, December, 659.
- fibers, measurement of properties (Scheier and Lyons), *STP 348*.
- intermolecular forces determined (Fowkes), *STP 360*.
- Surfactants, nonionic, automatic determination of cloud points (Baum, Callan, and Sobatzki), *MR&S*, January, 26.
- Surgical implant materials. Report of Committee F-4, 500.
- Sutton, R.: Introduction, *STP 368*.
- Swamy, N. (discussion), *MR&S*, September, 481.
- Swarbrick, R. E., see Corbett, L. W., and Swarbrick, R. E.
- Swedish foil tester, sampling soft clayey soils (Hall), *STP 351*.

## T

- Tanner, W. C., see Wegman, R. F. and Tanner, W. C.
- Tapes, adhesive, tack measurements (Hammond), *STP 360*.
- Tantalum, fatigue behavior, effect of strain aging (Wang and Marco), 595.

**Tar**

- effect of viscosity control on Marshall stability of tar concrete (Bahri and Rader), 968.
- a softening point by a ring-and-ball test (ASTM Committee D-8) *MR&S*, August, 417.
- Tar concrete, effects of viscosity control of tar on Marshall stability (Bahri and Rader), 968.
- Tarwater, J.: Preparation of R. R. Moore fatigue specimens from superstrength steels, *MR&S*, June, 289.
- Tatnall, R. F. (discussion), *MR&S*, May, 220.
- Tear tests, Kahn-type, and crack toughness of aluminum alloy sheet (Kaufman and Knoll), *MR&S*, April, 151.
- Tebbens, B. D., Thomas, J. F., and Mukai, M.: Particulate air pollutants resulting from combustion, *STP* 352.
- Temperature
  - aluminous cement concrete, high temperature behavior (discussion), *MR&S*, August, 412.
  - effect of heat on oxidized asphalt (Wronka), *STP* 347.
  - effect of temperature on the fatigue behavior of tantalum (Wang and Marco), 595.
  - effect of temperature on the flexural modulus of epoxy formulations (DeLollis), *STP* 360.
  - effect of temperature on the modulus of elasticity of W-Fe-Ni composites (Krock), 712.
  - effect of temperature on the strength of epoxy adhesives, when stressed to failure in milliseconds (Wegman and Tanner), *STP* 360.
  - influence of test conditions on fracture toughness of sheet materials (Steigerwald and Hanna), 1128.
  - irradiation at high and low temperatures, forum, *STP* 363.
  - irradiation of metals at high temperatures (Watson), *STP* 363.
  - linear thermal expansion of iron-molybdenum and nickel-molybdenum alloys (Harrington and Rowe), 699.
  - Report of ASTM-ASME Joint Committee on Effect of Temperature on Properties of Metals, 228.
  - Report of Committee E-20, 487.
  - variation of lateral contraction ratio of low carbon steel at elevated temperatures (Theocaris and Koroneos), 747.
- Temporary negative ion state, forum, *STP* 363.
- Tensile strength
  - concrete, diametral compression test (discussion), *MR&S*, January, 24.
  - copper-beryllium alloy strip (Gohn, Herbert, and Kuhn), *STP* 367.
  - dense, polycrystalline ceramics by the diametral-compression test (Spriggs, Brissette, and Vasilos), *MR&S*, May, 218.
  - glass fibers, effect of length on tensile strength (Metcalfe and Schmitz), 1075.
  - hardness relationships in thermomechanically treated steels (Kula and Anctil), 719.
  - normal alpha uranium, influence of rate of loading and temperature on (Loretan and Murphy), 734.

semiaustenitic, 17 per cent chromium stainless steel, effects of nickel, manganese and copper (Barclay, Green and Jackson), 680.

titanium, influence of subzero rolling (De Sisto and Carr), 636.

Zircaloy-2, effect of hydride morphology (Babyak, Bourgeois and Salvaggio), *STP* 368.

**Tension tests**

- at elevated temperature, variations of lateral contraction ratio of low-carbon steel (Theocaris and Koroneos), 747.
- glue bonds in end-jointed lumber (Selbo), *STP* 353.
- interlaboratory study of cutting plastic film specimens (Patterson), *MR&S*, April, 159.
- new round specimen and holder for tension testing (Babilon and Traenkner), 1119.
- plastics, small specimen for tension testing (Karnowsky and Colp), *MR&S*, July, 351.
- shafting and valve stem materials (Macadam), 765.
- plastics with an instrumented specimen-in-head machine (Kelly and Dunn), *MR&S*, December, 667.
- short prestressed wires, (Bousso and Ishai), *MR&S*, December, 647.
- tungsten at 6000 F (Brodrick and Fritch), 505.
- Theocaris, P. S., and Koroneos, E.: The variation of lateral contraction ratio of low-carbon steel at elevated temperatures, 747.
- Testing apparatus. Report of Committee E-1, 430.
- Textiles. Report of Committee D-13, 357.
- Texture, end-wood surfaces (Maxey), *MR&S* June, 279.
- Thermal analysis, measuring transformation temperatures of steels (Hammond and Burk), *MR&S*, June, 275.
- Thermal decomposition, irradiated, nickel oxalate (Prout and Brown), *STP* 359.
- Thermal expansion, linear, two iron-molybdenum and five nickel-molybdenum alloys (Harrington and Rowe), 699.
- Thermal insulating materials
  - Report of Committee C-16, 272.
  - vacuum irradiation, effects (Lucas), *STP* 363.
- Thermoelasticity coefficient, metallic diaphragm materials, measurement (Holmes), 991.
- Thermoplastics, phenoxy resin—a new thermoplastic (Bugel, Norwalk, and Snedeker), *STP* 360.
- Thermostat metals. Report of Committee B-4, 196.
- Thomas, C. C. (discussion), *STP* 363.
- Thomas, E. J., see Gedney, J. I. and Thomas, E. J.
- Thomas, E. R.: Functions and design of a research and control facility for railroad diesel locomotives, *STP* 354.
- Thomas, J. F., see Tebbens, B. D., Thomas, J. F., and Mukai, M.
- Thomas, J. J., see Graham, M. D., Burnett, W. C., and Thomas, J. J.
- Thornburn, T. H., see Liu, T. K., and Thornburn, T. H.

- Timber  
laminated construction, quality control (Brassell), *STP 353*.  
railroad bridges, (Ruble and Drew), *STP 353* and *STP 354*.
- Time dependence, vane shear strength and sensitivity of clay (Sridharan and Madhav), 958.
- Tires. Report of Committee E-17, 484.
- Titanium and titanium alloys  
shear test jig for 6Al-6V-2Sn titanium (Ianello), *MR&S*, May, 207.  
cryogenic applications (Broadwell and Wood), *MR&S*, October, 549.  
erosion of steam turbine blade materials (DeCorso), 782.  
influence of subzero rolling on tensile properties (DeSisto and Carr), 636.
- Tongue-tearing strength, woven fabrics, evaluated in interlaboratory tests (Randall), *MR&S*, February, 53.
- Tons, E. (discussion), *STP 347*.
- Torsion tests to determine properties of shafting and valve stem materials (Macadam), 765.
- Toth, J. M. (discussion), *STP 360*.
- Tour, S. (discussion), *MR&S*, August, 425.
- Tousimis, A. J.: Electron probe X-ray microanalysis of medical and biological specimens, *STP 349*.
- Trace elements, fluorescent X-ray spectrographic analysis of (Campbell), *STP 349*.
- Traenkle, H. A., see Babilon, C. F., and Traenkle, H. A.
- Transformation temperatures, steels, measured by a simplified thermal analysis technique (Hammond and Burk), *MR&S*, June, 275.
- Transition element, paramagnetic resonance of, (Sahni), *STP 359*.
- Transition temperature  
fatigue behavior of nylon at glass transition temperature (Mehan), 537.  
fracture behavior of steel at ductile-brittle transition (Ingraham), *MR&S*, December, 649.
- Transistors  
correlation of proton, neutron, electron, and photon radiation damage to (Keister), *STP 363*.  
proton accelerator bombardment for simulating space radiation damage to (Brown), *STP 363*.  
effect of space radiation on (Gardner and Coss), *STP 363*.
- Transparent section microscopy, in photoelasticity studies of resins (Wright and Hall), *STP 348*.
- Transverse strain, instrument for measuring (Lobdell, Shinopulos, and Fillo), *MR&S*, January, 8.
- Trantina, J. A. and Cluff, L. S.: "NX" borehole camera, *STP 351*.
- Trechsel, H. R. Water-leakage test for window sections, *MR&S*, September, 483.
- Triffo, R. P., see Huang, E. Y., Auer, A., and Triffo, R. P.
- Troxler, W. F.: Calibration of nuclear meters for measurement of moisture and density, *STP 351*.
- Tunnel construction, geophysical methods for predicting conditions for (Robinson and Lee), *STP 351*.
- Tuthill, L. H. (discussion), *MR&S*, July, 355.
- Tungsten  
fatigue, tension and stress-rupture tests at 6000 F with an electron-beam furnace (Brodrick and Fritch), 505.  
tungsten-nickel-iron composites, sintering and particle growth in (Krock), 669.
- Twiss, S. B.: Adhesive requirements for the automotive industry, *STP 360*; (discussion), *STP 360*.

U

- Uffner, M. W. (discussion), *STP 360*.
- Ultrasonic testing, adhesive-bonded joints (Gonzalez and Cagle), *STP 360*.
- Ultraviolet microscopy, applications in resinography (Felton), *STP 348*.
- Ultraviolet spectroscopy. Report of Committee E-13, 472.
- Uranium, normal alpha, influence of rate of loading and temperature on tensile properties (Loretan and Murphy), 734.
- Uranyl sulfate solution, in-pile corrosion of Zircaloy-2 in nuclear reactors (Jenks), *STP 368*.
- Urea-formaldehyde resins compared with phenolic resins in particular board binding (Kamrath), *STP 360*.
- Uniformity, asphalt concrete plant production (Graham, Burnett, and Thomas), *STP 362*.

V

- Vacuum  
creep-rupture behavior of Hastelloy-X in vacuum (Donachie and Shephard), *MR&S*, September, 495.  
vacuum irradiation, forum, *STP 363*.  
effects of vacuum and irradiation on engineering materials (Lucas), *STP 363*.  
systems for dynamic studies of the properties of materials during exposure to nuclear reactor irradiation (Hill, Kerlin, and Smith), *STP 363*.
- van Lint, V. A. J., see Miller, P. H., Jr., and van Lint, V. A. J.
- van Reenan, E. D.: Subsurface exploration by sonar seismic systems, *STP 351*.
- Varnish  
Report of Committee D-1, 291.  
Report of Committee D-9, 342.
- Vasilos, T., see Spriggs, R. M., Brissette, L. A., and Vasilos, T.
- Vassel, C. R. (discussion), *MR&S*, June, 301.
- Verwilt, J. (discussion), *MR&S*, August, 425.
- Vessamillet, L. F. (discussions), *STP 349*.
- Vicat apparatus, an automatic heat-distortion and softening-range apparatus (Ehlers and Powers), *MR&S*, June, 298.
- Viscosity control, effects of tar on Marshall stability of tar concrete (Bahri and Rader), 968.

## W

- Wagner, W. K. (discussion), *MR&S*, July, 355.  
 Walker, S. (discussion), *MR&S*, April, 156.  
 Wang, D. Y., and Marco, S. M.: Fatigue behavior of tantalum and the effect of strain aging, 595.  
 Wanklyn, J. N.: Recent studies of the growth and breakdown of oxide films on zirconium and its alloys, *STP* 368.  
 Warden, W. B., and Sandvig, L. D.: Tolerance and variations of highway materials from specification limits, *STP* 362.  
 Wargin, R. V. (discussion), *STP* 348.  
 Warner, D. B., and Moavenzadeh, F.: Permeability-compaction characteristics of bituminous materials, 981.  
 Water  
   content, surficial soils, influence on field vane tests (Liu and Thornburn), *STP* 351.  
   Report of Committee C-19, 382.  
   water absorption of lightweight aggregates (Landgren), 846.  
   water-leakage test, zipper-type glazing gaskets (Mazzoni, McKinley, and Malobicky), *MR&S*, September, 474.  
   water-leakage test for window sections (Trechsel), *MR&S*, September, 483.  
 Water-vapor adsorption-desorption in aggregates (Landgren), 830.  
 Waterproofing. Report of Committee D-8, 339.  
 Watson, J. F.: Effects of temperature and radiation on metals (Watson), *STP* 363.  
 Wax. Report of Committee D-21, 404.  
 Weatherability, asphalt, coating grade, prediction from asphaltene-dispersability data (Jones), *STP* 347.  
 Weathering  
   asphalts, behavior of, during prolonged weathering (Oliensis), *STP* 347.  
   asphalt roofing, relation of composition and manufacturing (Corbett and Swarbrick), *STP* 347.  
   test, zipper-type glazing gaskets (Mazzoni, McKinley, and Malobicky), *MR&S*, September, 474.  
 Wechsler, M. S. (discussions), *STP* 363.  
 Weeks, W. F. (discussion), *MR&S*, December, 646.  
 Wegman, R. F., and Tanner, W. C.: Strength of epoxy adhesives when stressed to failure in milliseconds, *STP* 360.  
 Weinland, L. A., *see* Weinland, S. L. and Weinland, L. A.  
 Weinland S. L., and Weinland L. A.: A vibration flow test for cement mortars, *MR&S*, April, 165.  
 Welding, 3½ and 9 per cent nickel steels and 36 per cent nickel-iron alloy for cryogenic service (Flannery and Witherell), *MR&S*, October, 533.  
 Wetting, relation of fiber elastomer adhesion to (Patterson), *STP* 360.  
 White, E. (discussion), *STP* 349.  
 Wilkov, M. A., and Murr, L. E.: A low-temperature fatigue testing machine, *MR&S*, June, 285.

- Williams, C. M., *see* Schindler, A. C., and Williams, C. M.  
 Williams, W. L. (discussion), 558.  
 Wilson, H. S. (discussion), *MR&S*, August, 412.  
 Williston, E. M.: Quality control for lumber products, *STP* 353; (discussion), *STP* 353.  
 Window glass, response to sonic boom (McKinley), *MR&S*, November, 594.  
 Window sections, tested for water-leakage (Trechsel), *MR&S*, September, 483.  
 Wires  
   steel rope, fatigue properties (discussion), *MR&S*, August, 425.  
   short prestressed, tension testing (Bousso and Ishai), *MR&S*, December, 647.  
 Wiss, J. F. (discussion), *MR&S*, November, 593.  
 Witherell, C. E., *see* Flannery, J. A., and Witherell, C. E.  
 Witter, R. V. (discussion), *STP* 347.  
 Wittry, D. B.: Methods of quantitative electron probe analysis, *STP* 349.  
 Wood  
   end surfaces, texture and contact area measured (Maxey), *MR&S*, June, 279.  
   evidence of need for standard, for wood failure (thermoset phenolic-plywood bonds), (Northcott, Hancock, and Colbeck), *STP* 360.  
   Report of Committee D-7, 333.  
   preservative-treated, results-type specifications, (Baechler), *STP* 353.  
 Wood, L. W. (discussion), *MR&S*, November, 593.  
 Wood, R. A., *see* Broadwell, R. G., and Wood, R. A.  
 Woods, G. S., *see* Prout, E. G. and Woods, G. S.  
 Wool. Report of Committee D-13, 357.  
 Woolf, A. R., *see* Hunt, C. M., and Woolf, A. R.  
 Work, C. E. (discussion), *MR&S*, August, 411.  
 Wright, J. R., Campbell, P. G., and Fridinger, T. L.: Relationship between intensity of carbon arc and asphalt oxidation, *STP* 347.  
 Wright, J. R. (discussion), *STP* 347.  
 Wright, R. E. and Hall, N. W.: Transparent section microscopy and high speed cinematography in photoelasticity studies, *STP* 348; (discussion), *STP* 348.  
 Wright, R. H.: A test for oxidation stability of diesel lubricating oils, *STP* 354.  
 Wright, R. N., Hall, W. J. and Hamada, H. S.: The behavior of structural steel under slow and rapid reversal of loading, 612.  
 Wronka, J. A.: Effect of heat on oxidized asphalt, *STP* 347.  
 Wukusick, C. S., and Collins, J. F.: An iron-chromium-aluminum alloy containing yttrium, *MR&S*, December, 637.  
 Wyman, L. L.: Summary of papers on electron probe, *STP* 349.

## X

- X-ray  
   detectors (Kiley and Dunne), *STP* 349.  
   diffraction of irradiated silver permanganate (Prout and Woods), *STP* 359.

fluorescence analysis compared with electron probe methods (Birks), *STP* 349.  
 fluorescence spectrographic analysis of trace elements (Campbell), *STP* 349.  
 optics in electron microanalysis (Ogilvie), *STP* 349.

production of X-rays in X-ray emission spectroscopy (Zemany), *STP* 349.

projection microscopy of roofing materials (discussion), *MR&S*, September, 486.

quantitative spectrographic analysis of metals and minerals (Kemp), *STP* 349.

resinography with 8-A X-rays (Newman), *STP* 348.

spectrographic analysis of raw materials for the cement industry (Robinson and Gertiser), *MR&S*, May, 228.

spectrographic analysis of liquids and solutions (Gunn), *STP* 349.

spectrographic analysis, summary of papers (Michaelis), *STP* 349.

#### X-ray powder data

Fink Inorganic Index to X-ray diffraction data file, *STP* 48-M3.

index to X-ray diffraction data file (inorganic), *STP* 48-M2.

index to diffraction data file (organic), *STP* 48-M1.

#### Y

##### Yield strength

copper-beryllium alloy strip (Gohn, Herbert, and Kuhn), *STP* 367.

metals, effect of crystal structure on, at cryogenic temperatures (Broadwell and Wood), *MR&S*, October, 523.

Yield point, structural steel, behavior under slow and rapid reversal of loading (Wright, Hall, and Hamada), 612.

Yorke, C. A., *see* Fisher, C. P., and Yorke, C. A.

Yttrium, iron-chromium-aluminum alloy containing (Wukusick and Collins), *MR&S*, December, 637.

#### Z

Zebroski, E. L., *see* Rudee, M. L., Zebroski, E. L., and Huggins, R. A.

Zeiler, H. W.: Fluorescence microscopy of resins, *STP* 348.

Zemany, P. D.: Production of X-rays in X-ray emission spectroscopy, *STP* 349.

Zinc and zinc alloys

Report of Committee B-2, 188.

Report of Committee B-6, 205.

Zirconium alloys

corrosion, effect of fluoride ions (Berry), *STP* 368.

corrosion in-pile in aqueous homogeneous reactor solutions (Jenks), *STP* 368.

development of (Kass), *STP* 368.

effect of hydride morphology on tensile properties (Babyak, Bourgeois and Salvaggio), *STP* 368.

growth and breakdown of oxide films (Wanklyn), *STP* 368.

neutron irradiation and cold work, effects on corrosion and hydrogen pickup (Burns and Maffei), *STP* 368.

Zoldners, N. G. (discussion), *MR&S*, August, 412.

Zoller, L. K., discussion, *STP* 363.